

Delighting You Always



SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

CANON SINGAPORE PTE. LTD.

1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522 Tel: 65-6799-8888 | Fax: 65-6799-8882 | https://asia.canon

CANON OFFICES

HONG KONG

Canon Hong Kong Co. Ltd. Tel: 852-3191 2333 Fax: 852-2428 3963 https://hk.canon

https://store.canon.com.hk

INDIA

Canon India Pvt. Ltd. Tel: 91-124-4160 000 Fax: 91-124-4160 011 https://in.canon

MALAYSIA

Canon Marketing (Malaysia) Sdn. Bhd. Local Customer Care Hotline: 1-800-88-2000

Fax: 603-5567 9441

Overseas Hotline: 603-2267 7374

https://my.canon

CANON BUSINESS PARTNERS

BANGLADESH

J.A.N. Associates

: 880-2-9660 601 / 8611 444

880-2-9122 847 Fax: 880-2-8610 410

BRUNEI

Interhouse Company Tel: 673-2653 001 Fax: 673-2653 003

CAMBODIA

i-Qlick Marketing Co., Ltd. Tel: 885-23-996 638 Fax: 885-23-996 639

INDONESIA

P.T. Datascrip

Customer Care Hotline: 62-21-2922 6000

Tel: 62-21-6544 515 Fax : 62-21-6544 811-13 https://store.datascrip.id

PHILIPPINES

Canon Marketing (Philippines), Inc. Customer Care Hotline: 63-2-884 9000 Provincial Hotline: 1-800-10-884 9000 https://ph.canon

SINGAPORE

Canon Singapore Pte. Ltd. Tel: 65-6799 8888 Fax: 65-6799 8882 https://sg.canon https://shop.canon.com.sg

Canon Marketing (Taiwan) Co., Ltd. Customer Care Hotline: 0809-022 888

Fax: 886-2-6632 6700 https://tw.canon

https://store.canon.com.tw

MALDIVES

SIMDI Office Automation Tel: 960-333 4421 Fax: 960-333 4424 www.simdi.com

MONGOLIA

IT Zone LLC

Tel: 976-11-32 3705 Fax: 976-11-31 2699 www.itzone.mn www.itzonestore.mn

MYANMAR

Myanmar Golden Rock International Co., Ltd

Tel: 95-1-654810 to 19 Fax: 95-1-654820

NEPAL

International Electronics Concern (P) Ltd.

Tel: 977-1-4421 991 Fax: 977-1-4421 909 www.iec.com.np

Dealer's Stamp

Canon Singapore Pte Ltd. All rights reserved.

www.facebook.com/CanonPIXMA

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document.

THAILAND

Canon Marketing (Thailand) Co., Ltd.

Tel: 66-2-3449 988 Fax: 66-2-3449 961 https://th.canon

VIETNAM

Canon Marketing Vietnam Co., Ltd. Ho Chi Minh City

Office & Showroom Tel: 28-3820 0466 Fax: 28-3820 0477 https://vn.canon

PAKISTAN


Megaplus Pakistan Tel : 92-51-111 003355 Fax : 92-51-222 8430

Shirazi Trading Co. (Pvt.) Ltd. Tel : 92-21-3242 4075 92-21-3241 4998 Fax : 92-21-3241 7747

SRI LANKA

Metropolitan Computers (Pvt.) Ltd. Tel: 94-11-2437 797 Fax: 94-11-2448 980







FULL-RANGE BROCHURE 2019 / 2020

			HOME / PHOTO		
MODEL LINEUP 2019/2020	Page 17	Page 17	PRINT • SCAN • COPY Page 18 Available Colours: • • O	Page 18	Page 19 Available Colours:
	TS9570	TS9170	TS8370	TS6370	TS5370
PRINT SPEED (A4 DOCUMENT: B&W / COLOUR)	15.0 _{ipm} / 10.0 _{ipm}	15.0 _{ipm} / 10.0 _{ipm}	15.0 _{ipm} / 10.0 _{ipm}	15.0 _{ipm} / 10.0 _{ipm}	13.0 _{ipm} / 6.8 _{ipm}
PHOTO PRINT SPEED (4R, BORDERLESS, COLOUR)	21 _{sec}	17 _{sec}	17 _{sec}	21 _{sec}	43 _{sec}
INK SYSTEM	5 Single Inks	6 Single Inks	6 Single Inks	5 Single Inks	FINE Cartridge
INK CARTRIDGE	780 781 781 781 781 (optional) 780 781 781 781 781 781 781 781 781 781 781	780 781 781 781 781 781 781 781 781 781 781	780 781 781 781 781 781 781 781 781 781 781	780 781 781 781 781 (optional) 780 781 781 781 781 781 781 781 781 781 781	760 761 State Colore
DOUBLE-SIDED PRINTING	Auto 2-sided Print	Auto 2-sided Print	Auto 2-sided Print	Auto 2-sided Print	Auto 2-sided Print
PAPER HANDLING	Front / Rear Paper Feeding ADF	Front / Rear Paper Feeding	Front / Rear Paper Feeding	Front / Rear Paper Feeding	Front / Rear Paper Feeding
MEDIA HANDLING	Printable Nail Stickers Print Direct Disc Print	Direct Disc Print	Printable Nail Stickers Print Direct Disc Print	-	-
CONNECTIVITY - Hi-Speed USB 2.0 - Wi-Fi - Ethernet - Direct Wireless	•	•	•	•	• • -
DIRECT PRINTING - PictBridge - Memory Card	LAN/WLAN	LAN/WLAN ◆	WLAN •	WLAN —	WLAN
WIRELESS MOBILE PRINTING - Creative Park ¹¹ - Canon PRINT Inkjet/SELPHY - Easy-PhotoPrint Editor - Canon Print Service ¹² - Message in Print - Mopria ¹³ - AirPrint ¹⁴	•	•	•	•	•
SCAN RESOLUTION	SCAN 1200×2400 _{dpl}	SCAN 2400×4800 _{dpi}	SCAN 2400×4800 _{dpl}	SCAN 1200×2400⊕l	SCAN 1200×2400 _{dpl}
DISPLAY TYPE	4.3 Type Touch Screen	5.0 Type Touch Screen	4.3 Type Touch Screen	3.7cm/ (t.er)	3.7cm/7 (t.4x) OLED

		HOME / PHOTO			HOME OFFICE
	PRINT • SCAN • COPY		PRI	NT	PRINT (MOBILE)
Page 19	Page 19 Available Colours: ●● O	Page 20	Page 20	Page 20	Page 21
- 1 1 1		17			
TS5070	MG3670	MG3070S/MG2570S	TS307	iP2770	iP110
12.6 _{ipm} / 9.0 _{ipm}	9.9ipm/ 5.7ipm	8.0 _{ipm} / 4.0 _{ipm}	7.7ipm/ 4.0ipm	7.0 _{ipm/} 4.8 _{ipm}	9.0ipm/ 5.8ipm
39 _{sec}	44 _{sec}	_	65 _{sec}	55 sec	53 _{sec}
5 Single Inks	HNE Cartridge	FINE Cartridge	FINE Cartridge	FINE Cartridge	FINE Cartridge
770 771 771 771 771 771 (optional) 770 771 771 771 771 771 771 771 771 771	740 741 (coptional) 741 (coptional) 741 (coptional) 741	745 746 100 100 100 100 100 100	745 746 100 100 100 100 (optional) 745 746 745 746 110 110 110 110 Xx	810 811 cobor (optional) 810 811 state X.	35 36 shot Calbur
-	Auto 2-sided Print	-	-	-	-
Rear Tray Feeding	Single Tray Feeding	Rear Tray Feeding	Rear Tray Feeding	Rear Tray Feeding	Rear Tray Feeding
-	-	-	-	-	-
•	•	• (MG30705 only) • (MG30705 only) • (MG30705 only)	• • -	• - - -	•
WLAN •	WLAN —	(MG3070S only) WLAN —	WLAN —	-	WLAN
•	- • • •	(MG3070S only)	•	-	- • • •
5CAN → 1200×2400 dpi	SCAN → 1200×2400 dpi	SCAN 600×1200 _{spi}	-	-	-
3.0 type	_	-	-	_	-

Requires iOS 11 or later; Andriod OS 5.0 or later.
 Available on Android OS 4.4 or later. Firmware update may be required.
 The Mopria logo is a trademark of Mopria Alliance, Inc. Available on Android OS 4.4 or later. Firmware update may be required.
 AirPrint and the AirPrint logo are trademarks of Apple Inc, registered in the U.S. and other countries.

		HOME	OFFICE		INK EFFICI	ENT INK TANK	- G SERIES
	PRINT • SCAN	• COPY • FAX	PR	INT	PRINT • SCAN		PRINT • SCAN • COPY
MODEL LINEUP 2019/2020	Page 21	Page 21	Page 21	Page 21	High Page Yield Page 23	High Page Yield Page 23	High Page Yield Page 23
	TR8570	TR4570S	TS707	iX6870	G7070	G4010	G6070
PRINT SPEED (A4 DOCUMENT: B&W / COLOUR)	15.0ipm/ 10.0ipm	8.8ipm/ 4.4ipm	15.0ipm/ 10.0ipm	14.5ipm/ 10.4ipm	13.0ipm/ 6.8ipm	8.8ipm/ 5.0ipm	13.0ipm/ 6.8ipm
PHOTO PRINT SPEED (4R, BORDERLESS, COLOUR)	37 _{sec}	65 _{sec}	21 _{sec}	36 _{sec}	45 _{sec}	60 _{sec}	45 _{sec}
INK SYSTEM	5 Single Inks	FINE Cartridge	5 Single Inks	5 Single Inks	Refill Ink Bottles	Refill Ink Bottles	Refill Ink Bottles
INK CARTRIDGE / BOTTLE	780 781	745 746 Story Control T45 746 T46 Story Color T45 T46 T45 T46 Story Color T45 T46 Story T45 St	780 781 781 781 781 (optional) 780 781 781 781 781 781 781 781 781 781 781	750 751 751 751 751 (751 751 751 751 751 751 751 751 751 751	70 70 c 70 70 M 70 Y	790 790 c c 790 790 y	70 70 FGBK C 70 Y
DOUBLE-SIDED PRINTING	Auto 2-sided Print	Auto 2-sided Print	Auto 2-sided Print	-	Auto 2-sided Print	-	Auto 2-sided Print
PAPER HANDLING	Front / Rear Paper Feeding ADF	Single Tray Feeding ADF	Front / Rear Paper Feeding	Rear Tray Feeding	Front/Rear Paper Feeding ADF	Rear Tray ADF	Front / Rear Paper Feeding
MEDIA HANDLING	-	-	Printable Nail Stickers Print Direct Disc Print	-	-	-	-
CONNECTIVITY - Hi-Speed USB 2.0 - Wi-Fi - Ethernet - Direct Wireless	•	•	•	•	•	• •	•
DIRECT PRINTING - PictBridge - Memory Card	LAN/WLAN ●	-	LAN/WLAN	-	LAN/WLAN	-	LAN/WLAN
WIRELESS MOBILE PRINTING - Creative Park*1 - Canon PRINT Inkjet/SELPHY - Easy-PhotoPrint Editor - Canon Print Service*2 - Message in Print - Mopria*3 - AirPrint*4	•	•	•	- • • •	•	•	•
SCAN RESOLUTION	SCAN 1200×2400 _{dpl}	SCAN 600×1200 _{dpi}	-	-	SCAN 1200×2400dpl	SCAN 600×1200 _{dpi}	SCAN 1200×2400 _{dpi}
DISPLAY TYPE	4.3 Type TFT Touch Screen	2 line LCD	2 line LCD	-	2 line LCD	2 line LCD	2 line LCD

		INK EFFIC	CIENT INK TANK -	G SERIES		
High Page Yield Page 23	PRINT * SCAN * COPY	High Page Yield Page 24	PR High Page Yield Page 24	High Page Yield Page 24	MONOCHROME PRINT * SCAN * COPY	MONOCHROME PRINT IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
V - VI						
G3010	G3000	G2010	G5070	G1010	GM4070	GM2070
8.8ipm/ 5.0ipm	8.8ipm/ 5.0ipm	8.8ipm/ 5.0ipm	13.0ipm/ 6.8ipm	8.8ipm/ 5.0ipm	13.0ipm/ 6.8ipm	13.0ipm/ 6.8ipm
60 _{sec}	60 _{sec}	60 _{sec}	45 _{sec}	60 _{sec}	-	-
Refill Ink Bottles	Refill Ink Bottles	Refill Ink Bottles	Refill Ink Bottles	Refill Ink Bottles	Refill Ink Bottle	Refill Ink Bottle
790 790 790 790 790 790 790 790 790 790	790 790 Type 790 790 Printer comes bundled with additional 2 black ink battles	790 790 c 790 M 790 Y	70 70 c c c c c c c c c c c c c c c c c	790 790 c 790 790 790 790 v	70 Reak (optional) 741 741 Color K.	70 FGSK (optional) 741 741
-	-	-	Auto 2-sided Print	-	Auto 2-sided Print	Auto 2-sided Print
Rear Tray Feeding	Rear Tray Feeding	Rear Tray Feeding	Front / Rear Paper Feeding	Rear Tray Feeding	Front/Rear Paper Feeding ADF	Front / Rear Paper Feeding
-	-	-	-	-	-	-
• • •	•	• - -	•	• - - -	•	•
-	-	-	LAN/WLAN	-	LAN/WLAN	LAN/WLAN
•	- • • •	-	•	-	- • - • - -	- • - • -
SCAN → 600×1200₄i	SCAN 600×1200 _{dpi}	SCAN 600×1200 _{dpl}	-	-	SCAN 200×2400dpi	-
frkd 4B	-	Segment LCD	2 line LCD	-	2 line LCD	2 line LCD

¹ Requires iOS 11 or later; Andriod OS 5.0 or later.
2 Available on Android OS 4.4 or later. Firmware update may be required.
3 The Mopria logo is a trademark of Mopria Alliance, Inc. Available on Android OS 4.4 or later. Firmware update may be required.
4 AirPrint and the AirPrint logo are trademarks of Apple Inc, registered in the U.S. and other countries.

		IN	IK EFFICIENT - E SERI	ES	
MODEL LINEUP 2019/2020	PRINT • SCAN • COPY • FAX	High Page Vield Page 25 Available Colours: • •	PRINT • SC High Page Yield Page 26 Available Colours: • •	High Page Vield Page 26	High Page Yield Page 26
	E4270	E560R/E560	E3370	E470	E410
PRINT SPEED (A4 DOCUMENT: B&W / COLOUR)	8.8ipm/ 4.4ipm	9.9ipm/ 5.7ipm	7.7ipm/ 4.0ipm	8.0ipm/ 4.0ipm	8.0ipm/ 4.0ipm
PHOTO PRINT SPEED (4R, BORDERLESS, COLOUR)	65sec	44 _{sec}	65 _{sec}	-	-
INK SYSTEM	FINE Cartridge	FINE Cartridge	FINE Cartridge	HNE Cartridge	FINE Cartridge
INK CARTRIDGE / BOTTLE	47 57 Side Colors (optional) 57 Color	89 99 Glazz	47 57 Color S	47 57 Star Continual ST Color	47 57 sites coher s
DOUBLE-SIDED PRINTING	Auto 2-sided Print	Auto 2-sided Print	-	-	-
PAPER HANDLING	Single Tray Feeding ADF	Single Tray Feeding	Rear Tray Feeding	Rear Tray Feeding	Rear Tray Feeding
CONNECTIVITY - Hi-Speed USB 2.0 - Wi-Fi - Ethernet - Direct Wireless	• • • • • • • • • • • • • • • • • • • •	• • -	•	• • • • • • • • • • • • • • • • • • • •	• - - -
DIRECT PRINTING - PictBridge - Scan/Print USB Memory	-	-	WLAN _	WLAN _	-
WIRELESS MOBILE PRINTING - Creative Park*1 - Canon PRINT Inkjet/SELPHY - Easy-PhotoPrint Editor - Canon Print Service*2 - Canon Print Business - Message in Print - Mopria*3 - AirPrint*4	•	- • - • - -	•	• • • • - •	-
SCAN RESOLUTION	SCAN	SCAN → 1200×2400₀ы	SCAN 600×1200 _{dpi}	SCAN 600×1200dpi	SCAN 600×1200 dpi
OTHER FEATURES	-	-	-	-	-
DISPLAY TYPE	2 line LCD	-	Segment LCD	-	-

*1	Poguiros iOS 11	or later: Andrio	d OS 5 D or later

		BUSINESS		
	I • COPY • FAX	PRINT	PRINT • SCAN • COPY • FAX	PRINT • SCAN • COPY
High Page Yield Page 28	High Page Yield Page 28	High Page Yield Page 28	Page 30 High Page Yield	Page 30 High Page Yield
ruge 20	ruge 20	Page 28		_
	122		44.1	
			-	
MB5470	MB5170	iB4170	WG7750F	WG7740
24.0ipm/	24.0ipm/	24.0ipm/		
32.5ppm⁻⁵	32.5ppm⁻⁵	32.5ppm⁻⁵		
15.5ipm/	15.5ipm/	15.5ipm/	80 ppm	70 ppm
26.5ppm	26.5ppm	26.5ppm		
_	-	_	_	-
0000		0000		
4 Single Inks	4 Single Inks	4 Single Inks	High Yield Ink Bottles	High Yield Ink Bottles
. J	1 5 mg. 5 mm	1 5	riigii Tietu iiik Botties	mgn ried in bodies
2700 2700 2700 2700 v	2700 2700 2700 2700	2700 2700 2700 2700	7700 7700 7700 7700 7700 x x x x x x x x	7700 7700 7700 7700 x x x
(optional)	(optional)	(optional) [2700][2700][2700]	(optional)	(optional)
2700 2700 2700 v	2700 2700 2700 v v v v v v v v v v v v v v v v v v	2700 2700 2700 2700 x x x x x x x x x x x x x x x x x x	7700 7700 7700 7700 × × × × × × × × × ×	7700 7700 7700 7700 7700 xxxxxxxxxxxxxx
Auto 2-sided Print	Auto 2-sided Print	Auto 2-sided Print	Auto 2-sided Print	Auto 2-sided Print
— 50 ∆	─ 50 Å			
Dual Front 50-sheet 2-sided ADF	Single Tray Feeding 50-sheet 2-sided ADF	Dual Front	4 Cassettes (with CF10) Single Pass 2-sided Scan	4 Cassettes (with CF10) Single Pass 2-sided Scan
Feeding Jossieet 2-slued ADF	Feeding 50-sneet 2-stated AUF	Dual Front Feeding	, , ,	, ,
•	•	•	•	-
•	•	•	•	•
.	•	•	•	-
-	-	-	-	-
-	-	•	-	_
•	•	•	_	_
•	•	•	•	•
_	-	-	_	-
•	•	•	•	•
SCAN	SCAN		SCAN	SCAN
SCAN 1200×1200 dpi	1200×1200 dpi	-	9600×9600 _{dpi}	9600×9600 _{dpi}
& 8		_		
Scan/Fax to Network Folder	Scan/Fax to Network Folder		Scan/Fax to Network Folder	Scan/Fax to Network Folder
3.5 Type (8.8cm) TFT	3.5 Type (188cm) TFT		5.0 Type (12.5cm) TFT	5.0 type (12,6cm) TFT
3.5 Type (8.8cm) TFT Touch Screen	3.5 Type (8.8cm) TFT Touch Screen	2 line LCD	5.0 Type (12,5cm) TFT Touch Screen	5.0 Type (12,5cm) TFT Touch Screen

Requires iOS 11 or later; Andriod OS 5.0 or later.
 Available on Android OS 4.4 or later. Firmware update may be required.
 The Mopria logo is a trademark of Mopria Alliance, Inc. Available on Android OS 4.4 or later. Firmware update may be required.
 AirPrint and the AirPrint logo are trademarks of Apple Inc, registered in the U.S. and other countries.
 PPM print speed is based on the highest speed settings using Canon standard patterns on A4 plain paper.

			NAL DUOTO	
		PROFESSIO	NAL PHOTO	
MODEL LINEUP 2019/2020	Page 31	Page 31	Page 31	Page 31
	PRO-500	PRO-10	PRO-100	iP8770
PRINT SPEED (A4 DOCUMENT: B&W / COLOUR)	-	-	-	14.5 _{ipm} / 10.4 _{ipm}
PHOTO PRINT SPEED	3 min 35 sec	3min 35sec	approx. 1 min 30 sec A3+ bordered	approx. 2 min 00 sec A3+ bordered
INK SYSTEM	12 Single Inks LUCIA PRO ink	10 Single Inks LUCIA	8 Single Inks	6 Single Inks
INK CARTRIDGE	50 50 50 50 FO FOR FOR FOR FOR FOR FOR FOR FOR FOR	72 72 72 72 72 72 72 72 72 72 72 72 72 7	42 42 42 42 42 42 42 42 42 42 42 42	750 751 751 751 751 751 751 751 751 751 751
PAPER HANDLING	2-way (Rear)	2-way (Rear)	2-way (Rear)	Rear Tray Feeding
MEDIA HANDLING	-	Direct Disc Print	Direct Disc Print	Direct Disc Print
CONNECTIVITY - Hi-Speed USB 2.0 - Wi-Fi - Ethernet	:	•	•	•
DIRECT PRINTING - PictBridge	WLAN/LAN	USB	USB	WLAN
WIRELESS MOBILE PRINTING - Canon PRINT Inkjet/SELPHY - Canon Pro Gallery Print - Easy-PhotoPrint Editor - Canon Print Service ¹¹ - Message in Print - AirPrint ¹²	•	•	•	• - • •
OTHER FEATURES	Chroma Optimizer	Chroma Optimizer	Print Studio Pro	-
DISPLAY TYPE	3.0 type	-	-	-



APPLICATIONS:

1 SCAN AND SEND PRINT

Through PIXMA / MAXIFY Cloud Link, you can scan your documents and images on one printer, and receive the printouts on another.

2 SCANTO CLOUD

Upload your scanned files directly to cloud storage, or send them directly to your email inbox with the Scan to E-mail feature.

FUNCTIONS:

1. MANAGE MULTIPLE PRINTERS

Companies can register up to 10 printers under one Cloud account, allowing printers to be assigned to individuals, and managed as a group.

2 MANAGE APPS

This feature allows you to create a list of favourite applications for easy access.

VOICE-ACTIVATED PRINTING WITH GOOGLE ASSISTANT OR AMAZON ALEXA

Let your voice be heard. With Google Assistant or Amazon Alexa⁻², you can communicate directly to your printer to perform hands–free printing.



^{*1} Available on Android OS 4.4 or later. Firmware update may be required.

^{*2} AirPrint and the AirPrint logo are trademarks of Apple Inc, registered in the U.S. and other countries.

Features shown are only available for certain models only.

¹ PIXMA/MAXIFY Cloud Link scan-related applications are only available to users that use genuine Canon ink cartridges.

² Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected

MOBILE PRINTING SOLUTIONS





Scan QR code to download Canon PRINT Inkjet/SELPHY



CANON PRINT INKJET/SELPHY Print and Scan 00 1

- Where and When You Want

The Canon PRINT Inkjet/SELPHY app lets you print, scan, and copy directly from your mobile device, view remaining ink levels, register for Cloud services, and even make changes to your printer settings remotely.

FUNCTIONS:



PHOTO AND **DOCUMENT PRINTING**

Print directly from your mobile device.



SCAN TO MOBILE DEVICES

Scan directly to your mobile device or iCloud.



SMARTPHONE COPY

Capture a document image with your mobile device, with the edges detected automatically and cropped before printing.



CREATE PHOTO ITEMS

Quick access to Easy-Photo Print Editor app.

NAIL STICKERS CREATOR APP BE YOUR VERY OWN NAIL ARTIST



Ever wanted a certain nail design but not finding what you are looking for? Now, you can create your original nail art with Canon Nail Stickers Creator app⁻¹! Choose from the available templates in the app or create a new design and print² it out. Visit https://asia.canon/consumer/stickers to find



- ¹ Available on Android OS 5.1 or later, iOS 10 or later.
- *2 Available for TS9570, TS8370 and TS707 only.
- ³ Available on iOS, Android OS, Windows and MAC OS platform. Applicable for certain models only.
- *4 Available on iOS and Android OS mobile devices.
- · All screen captures are conceptual. (Even if smartphone meets the above operating requirements, Bluetooth communication may not be possible depending on smartphone model.) Internet connection is required. All viewscreen and printer output images are simulated.

surprise!

EASY-PHOTOPRINT EDITOR APP PERSONALIZED CREATIONS MADE EASY



Now, it is even easier to create personalised items through the Easy-PhotoPrint Editor app*3. Delve into the extensive template collection available for collages, calendars, stickers, business cards and ID photos! Bring your creative ideas to print in just a few easy steps.

MESSAGE IN PRINT APP A MAGICAL SURPRISE IN EVERY PHOTO



Open up fun new ways to express yourself in photos! Embed secret animated greetings or video and web links, and send them to your family and friends. All they need to do is to download the app*4 and hover their device camera above the photo to unlock the secret messages.



DOCUMENT REMOVAL REMINDER

When a document is left on the scanner glass, a notification on the LCD display and an audio alert¹ reminds the user to retrieve the forgotten document (after scanning or copying).



ADVANCED MEDIA HANDLING



2-WAY PAPER FEEDING

Accommodates different paper sizes/types simultaneously. Also supports instagram ready prints and business card printing.



AUTO DUPLEX PRINT

Save on time and resources by printing on both sides of the paper automatically.



¹ Audio alert is only available for certain models only.



DIRECT DISC PRINT

PIXMA printers are able to print images directly onto Blu-ray discs, CDs and DVDs with printable surfaces.

EASE OF USE



ID CARD COPY

Scan and copy both sides of a business card onto a single printout while retaining its original size.



EASE OF USE

WIRELESS PRINTER WITH SMARTPHONE COPY



PIXMA TS307 combines form and function with a flat-top surface that doubles up as a document scan table. Now anyone with a smartphone can make high quality copies easily.

COPY DOCUMENTS WITH YOUR PHONE CAMERA

Download Canon PRINT Inkjet/SELPHY (iOS/Android), select Smartphone Copy* and begin.

* Smartphone Copy function is also available in all Canon wireless printers that are compatible with the Canon PRINT Inkjet/SELPHY mobile app.







App performs

automatically.





Print or save as a PDF.

and snap a photo.

FULL TOUCH SCREEN OPERATION



Large colour touch screen display panel allows easy manual navigation to control the printer, making operation smooth and simple.

BOOKLET LAYOUT COPY



Consolidate bulky document stacks into neatly bound booklets as small as A5 size for easy handling.

ECO TIPS



QUIET MODE

Reduces printer noise to an absolute minimum.

》)(山 Auto Power On

AUTO POWER ON

Wakes the printer instantly when a print job is initiated, even when it is powered off*

> *Printer must remain connected to an AC power source

》)(山

Auto Power Off

AUTO POWER OFF


Conserves energy by automatically powering off your printer after a period of inactivity.



For iOS Devices:



PRINTER BUYING GUIDE





SEARCH BASED ON

YOUR NEEDS

Understand ink cartridge

yields, printer features and

more at a single glance.

СЖ Санон

For Android Devices:

Requires Android™ 4.4 or later. Android, Google, Google Play and other marks are trademarks of Google Inc.





COMPARE

BEFORE BUYING

Compare models side-

by-side and decide which

best suits your needs and

expectations.



Canon

PRINTER


BUYING







8 0 C



PRINTER PURCHASE CHECKLIST



WHAT IS THE BUDGET?

This question provides an indicative price bracket for your preferred printer. Many people make the mistake of allowing their purchases to be limited by their budget. It is worthwhile considering a slightly bigger investment in the beginning in order to get the features you need to reap the benefits of enhanced productivity.



WHAT IS THE MONTHLY PRINT VOLUME?

It is important to understand the number of pages you expect to print every month. This will help you gauge print expenses and how often you need to replace the consumables.







DOES THE OFFICE NEED A MULTI-FUNCTION PRINTER?

Multi-function printers are becoming more affordable than ever, but business owners should consider their real needs carefully. With a similar investment, a dedicated single function printer can be more powerful than a multi-function printer. They can be faster and offer productive features such as automatic 2-sided printing or high-capacity paper cassette trays. It is advisable to take long term costing into consideration when choosing a printer.





IS THERE A NEED FOR COLOUR PRINTING?

Most documents are perfectly legible and presentable when printed in black-and-white. Business owners will need to examine the needs of the office to understand if there is a need to print in colour, and how often. The cost of printing in colour is approximately four times more than printing in grayscale or monochrome, and can be expensive if the print culture in the working environment sees documents get printed out of convenience, rather than out of necessity. Some business printers are intelligent enough to deploy only black ink to produce shades of true-black, rather than mixing cyan, magenta and yellow colours to produce composite black. It would be advisable to check with your printer retailer to find out if the printer you intend to purchase has such cost-saving features.



EXAMINING THE NEED FOR WIRELESS CONNECTIVITY

It would be prudent to examine the office document printing workflow to understand if wireless functions are really needed, or if wired LAN connectivity would suffice. For offices with mostly deskbound employees, the need for wireless connectivity diminishes. This is especially important when printers with wireless connectivity often have a higher upfront cost than the wired Ethernet only models.

.....



IS THERE A NEED FOR ADD-ON COMPONENTS OR ACCESSORIES?

If business owners foresee an increase in print volume, it might be useful to consider a printer that offers a large paper input capacity for 250 sheets, or even 2,250 sheets.



Cut it up, paste it down or tag it on! Now, you can create your favourite sticker crafts for all parties and occasions. Simply print and paste as a useful everyday essential or accessory to match your wardrobe.





Scrapbooking

PS-108 Photo Stickers are perfect for parties, scrapbooking, decorating office stationery and more. Packed in sheets of 16 thumbnail-size stickers, you can also print 16 different thumbnails at once, within a single sheet.



Travel Sticke

PS-208 Free-cutting Photo Stickers make photo albums and scrapbooking even more fun. Feel free to cut and personalise your photo stickers based on the theme of your craft. Plus, every print is now a sticker so you can now journal your travels easily without the use of glue!

FOR MOMENTS & REMINDERS



Sin ref

PS-508 Magnetic Photo Stickers let you customise your own photo magnets. Keep happiest moments close to you. Simply print and stick them on your refrigerator, white board or any other metallic surfaces at home.

IRON-ON TRANSFER

LF-101 Light Fabric Iron-On Transfers and DF-101 Dark Fabric Iron-On Transfers are perfect for personalising stunning design, slogans or everything from T-shirts, tote bags, to aprons and more. Simply print, cut, press down with an iron.



THE HOUSEHOLD ESSENTIAL



Plants

PS-308R Removable Photo Stickers are here to make organising more efficient and fun! Designed with fabric finishing, they are versatile and can be reused after peeling off.

PATTERN PAPER TEMPLATES Ready To Print For Any Occassion

Enjoy the convenience of printing up to 45 different types of built-in patterns*. You can use them for scap booking, wrapping papers or decorative craft pieces.

* Available for certain models only.







Creative Park

Cards • Art • Paper Crafts Scrapbook Making • Calendar Home And Living • Famous Painting

CRAFTING FUN FOR ALL


















For Android Devices: Requires Android 5.0 or later









WHERE CREATIVITY TAKES FLIGHT

Reach new heights of creativity with PIXMAtown! From business stationery templates to kiddy crafts, you can now download and print these craft projects for free. The fun and creativity never runs out!

www.canon-asia.com/pixmatown

FUN WITH STICKERS

Can't get enough of stickers? There are a wide range of sticker crafts available on PIXMAtown for all ages. Stationery labels, travel stickers and also customisable stickers, the fun is shared by everyone.

CARDS FOR EVERYONE

For every special occasion, the Cards Playground has something for everyone. Be spoilt for choice with a large collection that even includes specially designed cards by renowned artists.

DIY BUSINESS COLLATERALS

Generate and personalise your own stationery from a variety of office templates such as business cards, flyers and envelopes.

WIDE RANGE OF FESTIVE CRAFTS

With free festive crafts ranging from home decorations to greeting cards, you will never run out of ideas for the holidays!









PIXMATS9570



- · 20-sheet Auto Document Feeder
- Creative Printing; Print nail stickers, and up to 45 unique built-in patterns for use in scrapbookng, or as wrapping papers
- Message in Print app: Embed secret messages in your photos
- Document Removal Reminder and ID Card Copy
- · Direct wireless connection to smartphone
- · Mobile and Cloud Printing



































photos from a memory card

Mobile and Cloud Printing



Creative Filters: Add special colour filters when printing

• Message in Print app: Embed secret messages in your

Document Removal Reminder and ID Card Copy

· Direct wireless connection to smartphone

PIXMA TS9170













PIXMATS5370



- Creative Printing: Personalise crafty wearables with Canon Light/Dark Fabric Iron-On Transfer media and greeting cards with Canon Double-Sided Matte Papers
- Smart LED Status Bar: intuitively conveys the printer status
- Direct wireless connection to smartphone
- Mobile & Cloud Printing













PIXMATS5070



- Memory card slot for direct printing
- Message in Print app: Embed secret messages in your
- Document Removal Reminder
- Direct wireless connection to smartphone
- · Mobile and Cloud Printing

















PIXMA MG3670



- Hybrid Ink System: Vibrant colours and crisp black text
- Message in Print app: Embed secret messages in your photos
- Direct wireless connection to smartphone
- · Mobile and Cloud Printing



















Mobile & Cloud Printing







Direct wireless connection to smartphone





PIXMATS6370

Canon Light/Dark Fabric Iron-On Transfer media and greeting cards with Canon Double-Sided Matte Papers Smart LED Status Bar: intuitively conveys the printer status

Creative Printing: Personalise crafty wearables with















PIXMA MG3070S



- Hybrid Ink System: Vibrant colours and crisp black text
- · Message in Print app: Embed secret messages in your photos*
- Direct wireless connection to smartphone*
- Mobile and Cloud Printing*
- Auto Power ON/OFF













PIXMA TR8570



- Full touch-screen operation
- · 20-sheet Automatic Document Feeder
- Message in Print app: Embed secret messages in your photos
- · Document Removal Reminder
- Direct wireless connection to smartphone
- Mobile and Cloud Printing























PIXMA MG2570S



- Hybrid Ink System: Vibrant colours and crisp black text
- · Message in Print app: Embed secret messages in your
- Direct wireless connection to smartphone*
- Mobile and Cloud Printing*
- · Auto Power ON/OFF













PIXMA TS307



- · Smartphone Copy: Easy copying of document or photo via the Canon PRINT Inkjet/SELPHY app
- · Message in Print app: Embed secret messages in your photos
- Direct wireless connection to smartphone
- Borderless photo printing up to 4 x 6"












PIXMA iP2770



- Hybrid Ink System: Vibrant colours and crisp black text
- Borderless photo printing up to A4











PIXMA TR4570S



- 20-sheet Automatic Document Feeder
- Message in Print app: Embed secret messages in your photos
- Document Removal Reminder and ID Card Copy
- Direct wireless connection to smartphone
- Mobile and Cloud Printing













HOME OFFICE . PRINT

PIXMATS707



- High capacity paper cassettes (up to 350 sheets)
- Direct wireless connection to smartphone
- Mobile and Cloud Printing
- · Auto Power ON/OFF









PIXMA iX6870



- Print up to A3 documents
- Print up to 800 pages (with PG-755 XXL)
- Message in Print app: Embed secret messages in your photos
- Mobile and Cloud Printing*
- · Auto Power ON/OFF















PIXMA iP110



- · Message in Print app: Embed secret message in your photos
- Direct wireless connection to smartphone
- · Mobile and Cloud Printing
- Optional rechargeable battery kit (LK-62)

















HIGH PAGE YIELDS WITH LOW PRINT COSTS



G SERIES

The Ink Efficient G series printers are designed for high volume printing of up to 8,300 pages in monochrome and 7,700 pages in colour.

E SERIES

RINT • COPY • SCAN • FAX

PRINT • COPY • SCAN

PRINT

Designed to boost savings and affordability with low-cost ink cartridges that let you print up to 800 pages.

FAST, NO-MESS INK FILLING

The ink bottle automatically stops filling when the ink reaches the designated level. The entire ink filling process is fast, clean and splatter-free.

REFILLABLE INK TANK SYSTEM

Integrated see-through ink tanks allows easy checking of remaining ink and keeps the printer compact.

MONOCHROME PRINT

Canon GM series monochrome printers operate on a single black ink tank but unlike other designs in the market,

they come with an option for colour printing. Simply install a compatible colour ink cartridge whenever printing of colour document is required.



*Features shown are only available for certain models only. See specifications for details.

FECT FOR MIRCO BUSINESSES

BEST FOR STUDENT USE

PIXMA Ink Efficient G7070



- Print up to 8,300/7,700 (B&W/Colour)
- Compact integrated ink tank system
- High capacity paper cassettes (up to 350 sheets)
- · 35-sheet Auto Document Feeder
- Auto Duplex Printing
- ID card copying
- Borderless photo printing up to A4
- Mobile and Cloud Printing



PIXMA Ink Efficient G4010



- Print up to 6,000/7,000 pages (B&W/Colour)
- Compact integrated ink tank system
- · 20-sheet Auto Document Feeder
- Borderless photo printing up to A4
- Message in Print app: Embed secret messages in your photos
- Mobile and Cloud Printing













PIXMA Ink Efficient G6070



- Print up to 8,300/7,700 pages (B&W/Colour)
- · Compact integrated ink tank system
- High capacity paper cassettes (up to 350 sheets)
- Auto Duplex Printing
- ID card copying
- Borderless photo printing up to A4
- · Mobile and Cloud Printing















PIXMA Ink Efficient G3010



- Print up to 6,000/7,000 pages (B&W/Colour)
- Compact integrated ink tank system
- 1.2" segment LCD for easy operation
- Borderless photo printing up to A4
- Message in Print app: Embed secret messages in your photos
- · Mobile and Cloud Printing

















PIXMA Ink Efficient G3000



- Print up to 6,000/7,000 pages (B&W/Colour)
- · Compact integrated ink tank system
- Borderless photo printing up to A4
- Message in Print app: Embed secret messages in your photos
- Mobile and Cloud Printing
- 2 additional black ink bottles





PIXMA Ink Efficient GM4070



PIXMA Ink Efficient GM2070

- Print up to 8,300 pages (B&W)
- Compact integrated ink tank system
- High capacity paper cassettes (up to 350 sheets)
- · Optional colour document printing
- 35-sheet Auto Document Feeder
- Auto Duplex Printing
- · Mobile and Cloud Printing



PIXMA Ink Efficient G2010



- Print up to 6,000/7,000 pages (B&W/Colour)
- · Compact integrated ink tank system
- 1.2" segment LCD for easy operation
- Borderless photo printing up to A4















INK EFFICIENT - G SERIES . PRINT

PIXMA Ink Efficient G5070



PIXMA Ink Efficient G1010

- Print up to 8,300/7,700 pages (B&W/Colour)
- · Compact integrated ink tank system
- High capacity paper cassettes (up to 350 sheets)
- Auto Duplex Printing
- Borderless photo printing up to A4
- · Mobile and Cloud Printing









Print up to 6,000/7,000 pages (B&W/Colour)

· Compact integrated ink tank system

• Borderless photo printing up to A4









PIXMA Ink Efficient E4270



Print up to 8,300 pages (B&W)

Auto Duplex Printing

Mobile and Cloud Printing

Compact integrated ink tank system

Optional colour document printing

• High capacity paper cassettes (up to 350 sheets)

- Print up to 400 pages (B&W)
- · 20-sheet Auto Document Feeder
- · Message in Print app: Embed secret messages in your photos
- Document Removal Reminder and ID Card Copy
- Direct wireless connection to smartphone
- · Mobile and Cloud Printing











PIXMA Ink Efficient E560R/E560



- Print up to 800 pages (B&W)
- Message in Print app: Embed secret messages in your photos
- · Mobile and Cloud Printing




















PIXMA Ink Efficient E470



- Print up to 400 pages (B&W)
- Message in Print app: Embed secret messages in your photos
- Direct wireless connection to smartphone
- · Mobile and Cloud Printing



.....













PIXMA Ink Efficient E410



- Print up to 400 pages (B&W)
- Auto Power ON/OFF













MAXIFY

MAXIMUM PERFORMANCE

Boost business productivity and power your way through intensive office tasks with our range of MAXIFY printers.





HIGHER CAPACITY PAPER CASSETTES /500\

Double your productivity with high capacity paper cassettes. MAXIFY printers can feed up to 500 sheets for continuous, uninterrupted printing.

HIGH SPEED, GREAT QUALITY

Documents can be printed at remarkably high speeds⁻¹.





DUAL RESISTANT HIGH DENSITY PIGMENT INK **DUAL RESISTANT HIGH**



Produce long-lasting prints with DRHD pigment ink. Crisp and sharp text, highlighter and water resistance are key attributes that will make a positive impact on professional reports and presentations.



QUICK FIRST PRINT

Receive your first printout in just 6 seconds with fast data processing.



With the optional high-yield XL ink cartridges, enjoy at least 50% cost savings while printing up to 2,500 pages in monochrome and up to 1,500 pages in colour.

INK CARTRIDGE TYPE (PAGE YIELD+^)





HIGH SPEED SCANNING



Reduce scanning time with the fast, single pass, 2-sided Auto Document Feeder (ADF). Scan

Single Pass 2-sided Scan

double-sided documents in one single paper pass.




Diagram shows placement of both Contact Image Sensors (CIS) for enhanced scanning speed.

- * Features shown are only available for certain models only. See specifications for details.
- + Page yield may differ depending on the document and other conditions related to the print.

 ^ Published value based on ISO/IEC 24711 when printed consecutively on regular A4/letter papers with standard picture settings. Evaluation pattern: ISO/IEC 24712.

 *1 Printer speed decreases when ink is running low (upon display of the low ink status).

^{*2} PPM print speed is based on the highest speed settings using Canon standard patterns on A4 plain paper. For details, please refer to www.canon-asia.com/maxify

MAXIFY MB5470



- Print up to 2,500 pages (with PGI-2700BK XL)
- High density pigment ink for water resistant documents
- High capacity paper cassettes (up to 500 sheets)
- ID Card Copying
- Mobile and Cloud Printing

















- Print up to 2,500 pages (with PGI-2700BK XL)
- High density pigment ink for water resistant documents
- High capacity paper cassette (up to 250 sheets)
- Mobile and Cloud Printing





50 250















BUSINESS • PRINT

MAXIFY iB4170



- Print up to 2,500 pages (with PGI-2700BK XL)
- High density pigment ink for water resistant documents
- High capacity paper cassettes (up to 500 sheets)
- Mobile and Cloud Printing


















HIGH SPEEDS, HIGH PRODUCTIVITY

Print at up **80 ppm**, with a first-print-out time of just **6.5 seconds** and minimise time spent replenishing paper with a maximum paper capacity of 2,250 sheets (80g/m²). Even scanning is fast with the Single Pass Two-Sided Auto Document Feeder (ADF) that scans both sides at once.



















STATE-OF-THE-ART INK

Enjoy laser-like quality with the new pigment ink:

- Vivid and sharp text
- · Prints are resistant to smears, highlighter-streaks and
- · Paper absorbs ink quickly
- · Paper curling is reduced

POWERFUL PERFORMANCE

- Straight-line, high-speed paper movement reduces tension and stress on paper as well as incidences of paper jams
- · High-precision line print head spans the entire paper width and only paper moves while printing
- Optical and in-nozzle sensors monitor ink ejection in real time and make adjustments during printing

USABILITY

- · Navigate all printer operations with the simple intuitive touch
- Print and scan without a computer using a USB flash drive
- Ink bottles and maintenance cartridges are easily replaceable





BUSINESS . PRINT . SCAN . COPY



WG7740

- Print and scan up to A3 size
- Fast 70 ppm print speed
- Fast duplex auto document feeder scans up to 40 ipm
- Large paper feeding capacity up to 2,250 sheets
- Extremely high page yields up to 20,000 pages (PGI-7700 Black XXL)
- Compatible with wide variety of media
- Maintenance-free operation














imagePROGRAF PRO-500



- 11-colour LUCIA PRO Pigment Ink System with Chroma Optimizer for uniform glossiness and reduced bronzing
- 4 monochrome inks for enhanced dynamic range and greyscale reproduction
- L-COA PRO Image Processing System
- · Professional Print and Layout software to control layout, preview, colour management in professional printing workflow
- Supports a wide variety of fine art textured and glossy papers
- Mobile Printing

















- 9-colour LUCIA Ink System with Chroma Optimizer for uniform glossiness and reduced bronzing
- 3 monochrome inks for enhanced dynamic range and greyscale reproduction
- Print Studio Pro plug-in software for streamlined production
- Supports a wide variety of fine art textured and glossy papers
- Mobile Printing



.....















- Vivid colours for the most brilliant prints on glossy photo
- 8-colour dye-based ink system with 3 monochrome inks
- Print Studio Pro plug-in software for streamlined production
- Supports a wide variety of fine art textured and glossy papers
- Mobile Printing



Quiet Mod











PIXMA iP8770



- Dedicated grey ink ensures consistent grayscale printing
- Message in Print app: Embed secret messages in your photos
- Mobile and Cloud Printing















INSPIC



SNAP EASY, PRINT INSTANTLY

The all new iNSPiC [S] & iNSPiC [C] instant camera printer series. Shoot and print all on one single device! Snap and share moments instantly on 2 x 3" sticky-backed prints with friends and family anywhere!

Never go out of style with the classic iNSPiC [P] portable printer. Pair up your smartphone via the Canon Mini Print app for instant prints. Double up the fun with in-app edits such as stickers and more to showcase your creativity side! User friendly with ultra-portability, bring the fun everywhere you go with the new iNSPiC series!



ULTRA-SLIM AND COMPACT

So compact and lightweight, the iNSPiC series is perfect as a travelling companion. Slip it in your pocket or sling it on a neckstrap as you cruise through town. Charged up with any portable power bank!



CAMERA + PRINTER CONVENIENCE

The iNSPiC [S] and iNSPiC [C] combine a camera and printer into pocket sized fun. Simply snap your moments and print photos instantly.



STICK THEM ANYWHERE

The convenience of ZINK™ sticky-backed paper means ink-free convenience. Peel off and paste these smudge-proof prints anywhere.



IMPRESSIVE LOW-LIGHT PERFORMANCE

Take amazing selfies in soft lighting with the built-in fill light and 2" selfie mirror that makes selfie shooting easily. *Applicable to ZV-123A only.



SHARE YOUR MOMENTS

Share your memories instantly with a dedicated reprint button.

*Applicable to CV-123A & ZV-123A only.

iNSPiC [S] ZV-123A



- · Customisable Camera Flash (Auto/Off/Fill Light)
- Remote shutter button
- · One-touch quick reprint
- Smudge-proof prints
- Smartphone connectivity
- Zero-ink ZINKTM technology

iNSPiC [C] CV-123A



Available Colours:

- · Automatic camera flash
- One-touch quick reprint
- Smudge-proof prints
- Zero-ink ZINK™ technology

.....

iNSPiC [P] PV-123A



Available Colours:

- Smudge-proof prints
- Smartphone connectivity
- Zero-ink ZINKTM technology

GET PRINTING IN 3 EASY STEPS







STEP 1: GET CONNECTED

- Download the Canon Mini Print app
- Connect your social media accounts to the app, take a photo with your smartphone or select images from your printer* to you mobile device
- * Compatible with iOS 9.0 or later; Android 4.4 or later. Applicable to ZV-123A and PV-123A.





STEP 2: ADD FUN

· Customise your photos before printing with creative image filters, frames or stamps



STEP 3: PRINT AND SHARE

• Print 2 x 3" photos and share with friends and family





GENUINE INKS AND PAPER MEDIA

Designed to bring out the best in your prints, Canon's genuine inks and wide range of speciality papers come with unique qualities that achieve outstanding results for your printing needs.

CHROMALIFE100

A CENTURY OF BRILLIANT **PHOTOS**

ChomaLife100 greatly increases the longevity of your photos through an innovative combination of Canon Genuine Inks and Photo Papers. Not only will prints last up to 100 years under proper storage conditions, but image quality will also be greatly enhanced.

termanence estimates presented above are made using an accelerated dark storage test usu usessumus-holide photos (SO/FIDS1809), Samples are printed with an optical density of 1.0 (each block, cyan maged w) and keplin a controlled environment of high temperature and 50% relative humidity. The test environment pred to accelerate colour facting. The rate of the decrease in the optical density and the rate of yellow discolours. pepar are measured. Finally, the results are extrapolated to the length of time that a printed image is kept in

mates for lightfastness are made under the following test conditions. Light source: White fluorescent light 70,000 lux perature: 24°C; Humidity: 60% RH; A 2mm thick glass is placed on the sample with an air gap between the glass anc

Gas Fastness Approx. 10 Years





No Noticeable Colour Change *Under proper storage conditions See specifications for details

Print Head

ChromaLife 100

FINE

Genuine Photo Media

Bright Colouration/

p permanence estimates presented above may vary depending on display / storage conditions. The numbers of years estimates are the result of stimulated, accelerated tests conducted by Canon Inc., and resent a product guarantee.

PHOTO PRINTING

From Super High Gloss to Matte, Canon's photo papers are perfect for printing photos for special occasions, or when creating scrapbooks and cards



PP-201

Photo Paper Plus Glossy II 265 g/m²

· 4 x 6".5 x 5" A4, A3, A3+



PP-208

Photo Paper Plus Glossy II 270 g/m²

Dve-Based Inks

Rich Colour Reproduction/

Further Longevity

• 4 x 6", A4, A3



GP-508

Glossy Photo Paper "Everyday Use" · 210 g/m²

4 x 6", A4



PT-101

Photo Paper Pro Platinum (Super High Gloss)

- · 300 g/m²
- 4 x 6", A4, A3 A3+, A2

NL-101 SG-201 Photo Paper Plus Semi-Gloss • 260 g/m²





Printable Nail 12 stickers per sheet





PS-108 Photo Sticker

 Glossy 225q/m²







PS-208 Photo Sticker

 Free Cutting 225 a/m²

4 x 6", 5 sheets



PS-308R

Removable Photo Sticker Free Cutting

- 295 a/m²
- 4 x 6". 5 sheets



PS-508

Magnetic Photo Paper

- · Free Cutting • 690 g/m²
- 4 x 6"
 5 sheets



PS-808

Variety Pack Photo Sticker • 225 g/m²

 4 x 6", 12 sheets (2-on-1 x 3, 4-on-1 x 3, 9-on-1 x 3, 16-on-1 x 3)

SPECIAL PROJECTS & CRAFTS

With a smooth texture and high brightness level, the Matte Photo Paper delivers images with high colour intensity and smooth creaminess.

Let your work stand out in presentations and reports with the

High Resolution Paper. Whether it be printing graphs or charts,

this paper presents important details with intricate clarity



and sharpness.

MP-101

BUSINESS PRESENTATIONS

HR-101N

106 g/m²

• A4. A3. A3+

STUDIO QUALITY PRINTING

Whether for photography, fine art, or digital art

prints, these papers reproduce photos with

outstanding detail and quality, producing

replica prints as beautiful as the originals.

Paper

High Resolution

- Matte Photo Paper • 170 g/m²
- 4 x 6", A4, A3



MP-101D NEW

- Double Sided Matte
- Paper
- 240 g/m² • 7 x 10", 12 x 12", A4



LF-101

Liaht Fabric Iron-on Transfer • 125 g/m²

down with an iron and you're done!

IRON-ON TRANSFER PRINTING NEW

With iron-on transfers, creativity is wearable. A class tee or

just your very own fashion items. Simply print, cut, press



DF-101 Dark Fabric

Iron-on Transfer • 160 g/m² A4, 5 sheets

ZERO INK PRINTING NEW

With Zero Ink Printing® Technology, your photos come out smudge-proof and tear resistant with a sticky back to paste anywhere.



ZINK™ Photo Paper 2 x 3", 2 x (10 sheets + 1 SMART SHEET™)



LU-101 Photo Paper Pro Luste

Luster

• 260 g/m² A4, A3, A3+, A2



PM-101

Photo Paper Pro Premium Matte 170 g/m²

A4, A3, A3+, A2



Smooth

• 310 g/m² A4, A3, A3+, A2

HOW TO CHOOSE THE RIGHT PAPER

Selecting the right paper for your printouts is essential, as an unsuitable paper media can result in a lacklustre print. Canon's speciality papers are specially treated to work optimally with your printer's ink, creating printouts with superior images and crisp, sharp text. It is therefore crucial to understand how each paper type can best complement your printing needs.

SMOOTH

Ideal for printing typography-heavy projects with definitive shapes or high black-and-white contrast. Colours stay in place and are less susceptible to "bleeding", delivering a more crisp and vivid picture.

BRIGHTNESS

Brighter and whiter papers will produce lighter printouts; while a duller paper will create prints with muted tones.

MATTE

Matte papers are great in preventing light reflections or fingerprint smudges often seen on glossy papers, making it especially ideal for scrapbooking projects, cards and more

GLOSSY

Glossy finish paper offers outstanding resolution, colour range, and durability. It's excellent for portfolios, photo albums, and prints for plastic and glass displays.

ROUGH

Unique, canvas-like quality, rough finish papers are especially ideal for producing gallery quality, high-end prints.

THICKNESS/WEIGHT


This refers to durability or amount of ink that paper can hold before document integrity is compromised. Thinner and lighter papers are recommended for quick prints and rough drafts, while thicker and heavier papers are good for photos, crafts, and scrapbooks.

SEMI-GLOSSY

Semi-glossy finish reduces issues associated with glare, dust and fingerprints, and is suitable for everyday photo frames or printouts with a matte border.

HIGH GLOSS

High gloss paper produces a studio finish with exceptionally vivid colours, great contrast of light and dark, as well as high paper durability. This finish is more susceptible to fingerprint smudges and glares under harsh lighting due to its glossy finish.



Specifications are subject to change without notice.

HOME / PHOTO

7.7 ipm/4.0 ipm

Up to 4 x 6"

A4/Letter = 60 (RearTray)

Windows 10/8/7 SP1"9

macOS 10.12 & later

b/g/n, USB 2.0 Hi-Speed

Mopria® Certified, non Print Service, AirPrin Google Cloud Print™, PIXMA Cloud Link,

Wireless PictBridge BLE¹¹⁰, Direct Wireles

10 W (2.1 W Standby)

430 x 282 x 143 mm

2.9 kg

CI-746 S: 100

Optional: PG-745: 180

CL-746: 180 PG-745 XL:300 CL-746 XL: 300

Creative Park, Canon PRINT Inkjet/SELPHY, Easy-PhotoPrint Editor, Message in Print (MG3070S & TS307 only)

10 - 80 pages

4800 x 1200 dpi

NA

NA

NA

NA

7.0 ipm/4.8 ipm

55 sec

A4 = 100 (RearTray)

NA

NA

Mac OS X 10.4.11 & later

USB 2.0 Hi-Speed

30 - 100 pages

11 W (0.7 W Standby)

445 x 250 x 130 mm

3.4 kg

PG-810: 220 CL-811: 244

CI-811 XI: 349

4800 x 600 dpi

8.0 ipm/4.0 ipm

NA

A4/A5/B5/Letter = 60

Flatbed/CIS (Contact Image Sensor)

600 x 1200 dpi

28/31 sec

2.1/1.6 ipm

Max. 21 pages

Windows 10/8/7 SP1, Vista SP2 (MG3070S) Windows 10/8/7/ Visa/XP (MG2570S)

OS X 10.8.5 & later Mac OS X 10.7.5 & later

USB 2.0 Hi-Speed,

MG3070S only - Wireless LAN IEEE 802.11 b/g/n

Canon Print Service, Google Cloud Print™, PIXMA Cloud Link, Wireless PictBridge,

(MG3070S only)

MG3070S - 10 W

(1.6 W Standby)

(1 N W Standby

426 x 306 x 145 mm

3.5 kg

PG-745 S: 100 CL-746 S: 100

Optional: PG-745: 180

CL-746: 180 PG-745 XL:300 CL-746 XL: 300

NA

MOBILE

iP110

9600 x 2400 dpi

9.0 ipm/5.8 ipm

53 sec

A4/A5/B5 Letter = 50 (Rear Tray)

NA

Windows 10/8/7/Vista/XP

Mac OS X 10.6.8 & later

Wireless I AN IFFF 802 11

p/g/n, USB 2.0 Hi-Speed

Canon PRINT Inkiet/SELPHY

Easy-PhotoPrint Edit Message in Print

Mopria® Certified, Canon Print Service, AirPri Google Cloud Print™ PIXMA Cloud Link, Wireless PictBridge, Direct Wireless

10 - 50 pages

10 W (1.8 W Standby)

322 x 185 x 62 mm

2.0 kg

PGI-35: 191 CLI-36: 249

-

15.0 ipm/10.0 ipm

Yes (A4/A5/B5/Letter)

1200 x 2400 dpi

19 sec

6.5 ipm

8.0 ipm (Colour)

appox, 250 pages

99 locations

OS X 10.10.5 ~ 10.11 macOS 10.12 & later

4.3: Touch Screen

Wireless LAN IEEE802.11 b/g/n, 100 Base-TX/10 Base-T, USB 2.0 Hi-Speed, Memory Card Slot

Mopria® Certified.

Google Cloud Printⁿ PIXMA Cloud Link,

PictBridge, BLE^{*10} Direct Wireless

Up to 15,000 pages

80 - 300 pages

15 W (1.3 W Standby)

438 x 351 x 190 mm

8.0 kg

Optional: CLI-781 (C/M/Y) XL: 800 CLI-781BK XL: 6360^{*12} PGI-780PGBK XL: 600^{*12}

CLI-781 (C/M/Y): 250 CLI-781BK: 1505^{*12} PGI-780PGBK: 200

ΝΔ

on Print Service, AirPrint

Up to A4

A4/A5/B5/Letter = 100

Flatbed & ADF/CIS (Contact Image Sensor)

A4/Letter (216 x 297 mm)

Max. 99 pages

Windows/Mac: Available

20 sheets

HOME OFFICE

15.0 ipm/10.0 ipm

21 sec

Yes (A4/A5/B5/Letter)

A4/A5/B5/Letter = 350

Printable Disc, Nail Sticker

OS X 10.10.5 ~ 10.11

Wireless LAN IFFF802.11

b/g/n, 100 Base-TX/10 Base-T, USB 2.0 Hi-Speed

Mopria® Certified

Canon Print Service, AirPrin Google Cloud Print™, PIXIMA Cloud Link,

Wireless/Wired LAN PictBridge, BLE^{*10}, Direct Wireless

15.000 sheets

80 - 300 pages

23 W (0.9 W Standby)

372 x 365 x 158 mm

5.4 kg

CLI-781 (C/M/Y): 250 CLI-781BK: 1478*12

CLI-781XL(C/M/Y): 800 CLI-781BK XL: 8162*12 PGI-780PGBK XL: 600

PGI-780PGBK: 200

NA

NA

NA

NA

9600 x 2400 dpi

14.5 ipm/10.4 ipm

36 sec

Up to A3+

NA

A3/A4/A5/ B4/B5/Letter = 150 (Rear Tray)

NA

Windows 10/8/7/Vista/XP

Mac OS X 10.6.8 & later

NA

USB 2.0 Hi Speed iX6870 only - Wireless LAN IEEE802.11 b/g/n, 100 Base-TX/10 Base-T

Easy-PhotoPrint Editor, Message in Print

Canon Print Service, AirPrint™, Google Cloud Print

NA

80 - 200 pages

(2.0 W Standby)

584 x 310 x 159 mm

8.1 kg

Optional: CLI-751 (C/M/Y) XL: 690 CLI-751BK XL: 5000¹¹²

PGI-755PGBK XXL: 800

CLI-751 (C/M/Y); 331 CLI-751BK: 1645*¹² PGI-750PGBK: 300

4800 x 1200 dp

8.8 ipm/4.4 ipm

65 sec

Yes (A4/Letter)

600 x 1200 dpi

27 sec

3.6 ipm

2.7 ipm (Colour)

аррох, 50 рааев

19 locations

Windows 10/8/7/SP1*9

Mac OS X 10.7.5 & later

Wireless LAN IEEE802.11 b/g/n, USB 2.0 Hi-Speed

Creative Park, Canon PRINT Inkjet/SELPHY, Easy-PhotoPrint Editor, Message in Print, Nail Sticker Creator (TS707 only)

Mopria® Certified,

onon Print Service, AirPrint Google Cloud Print™, PIXMA Cloud Print,

Direct Wireless

NA

30 - 100 pages

8 W (0.9 W Standby)

435 x 295 x 189 mm

5.9 kg

PG-745 S: 100 CL-746 S:100

Optional: PG-745: 180 CL-746: 180 PG-745 XL: 300 CL-746 XL: 300

approx. 3 sec/1 min (33.6 kbps)

^a The functions available with Bluetooth communication of this application are not guc Android smartphones. (Even if your smartphone meets the above operation requirem communication may not be possible depending on the model of your smartphone)

	PG-745 S: 835 ^{*12} CL-746 S: 32	PG-810: 2810 ^{*12} CL-811: 69	DCI 25, 1015'12	CLI-781(C/M/Y): 96 CLI-781BK: 231 ⁻¹² PGI-780PGBK: 1445 ⁻¹²	PG-745 S: 955 ^{*12} CL-746 S: 32	CLI-781 (C/M/Y): 98 CLI-781BK: 240 ⁻¹² PGI-780PGBK: 1518 ⁻¹²	CLI-751 (C/M/Y): 127 CLI-751 BK: 384 ⁻¹² PGI-750PGBK: 2390 ⁻¹²
	Optional: PG-745: 1445 CL-746: 55 PG-745 XL: 2720*12 CL-746 XL: 90	Optional: PG-810 XL: 5975 ⁻¹² CL-811 XL: 102		Optional: CLI-781(C/M/Y) XL: 320 CLI-781BK XL: 858 ¹¹² PGI-780PGBK XL: 5500 ¹¹²	Optional: PG-745: 1915 CL: 746: 55 PG-745 XL: 3575 ⁻¹² CL: 746: XL: 90	Optional: CLI-781XL(C/M/Y): 328 CLI-781BK XL: 7060 ⁻¹² PGI-780PGBK XL: 892 ⁻¹²	Optional: CLI-751 (C/M/Y) XL: 303 CLI-751BK XL: 845 ¹² PGI-750PGBK XL: 4720 ¹² PGI-755PGBK XXL: 7685 ¹²
x tran speed etc. I on IT be gu ble wi	fax transmission speed is smission speed is smission speed is based on a may vary depending on di U-T No.1 chart or Canon FAX aranteed on a PC with a pre th Bluetooth communication	default setting using Canor ocument complexity, fax set (Standard Chart No.1. Sinstalled Windows 7 or later of this application are not the setting of the s	n Cŏlour Fax Test Sheet tings at receiving end,	ISO/IEC 29102 (for 4 12 Estimated Supplem Note: All printers work in Operatin, Recommended Environme	g Environment of Temperature: 5 – 3:	3 test file. Values obtained by 5°C; Humidity: 10 - 90 % RH (no dev lity: 10 - 80 % RH (no dew conden	y continuous printing.



¹ Ink droplets can be placed with a pitch of 1/4800 or 1/9600 inch at minimum

nt print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.

Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.

Print speed may vary depending on system configuration, interface, software, document complexity print mode, page coverage, type of paper used etc.

3 Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers.

TWAIN driver (ScanGear) is based on the TWAIN specification V1.9 and requires the Data Source Manager that comes with the operating system

that comes with the operating system.

5 Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.


6 Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.

ADF copy speed is the average of ESAT in General Performance Test for the default simplex mode, ISO/IEC 24735, excluding time to copy the first set. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warm-up time.

Rlack & white docum Actual transm

and line conditions e

Page count is based of Operation can only be



Specifications are subject to change without notice.

- pecinicalins are subject to change without notice.

 In kild rolpets can be placed with a pitch of 1/4800 or 1/600 inch at minimum.

 Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734. Photo print speed is based on the default setting using ISO/IJS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page
- coverage, type of paper used etc.

 Paper types NOT supported for borderless printing are as follows: En velope, High Resolution Paper, T-Shirt

- Transfer, Photo Stickers:

 TWAIN driver (ScanGear) is based on the TWAIN specification V1.9 and requires the Data Source

 WAIN driver (ScanGear) is based on the TWAIN specification V1.9 and requires the Data Source

 Manager that comes with the operating system.


 Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.

 Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. ADF copy speed is the average of ESAT in General Performance Test for the default simplex mode, ISO/IEC 24735, excluding time to copy the first set. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warm-up

- Operation can only be augranteed on pre-installed Windows 7 or later) Declared yield value in accordance with ISO/IEC 24711 (for Ad size) using ISO/IEC 24712 test file, and ISO/IEC 29102 (for 4 x 6" size) using ISO/IEC 29103 test file. Values obtained by continuous printing.
- ¹ Estimated Supplemental Yield. ²Black ink is not used when printing under this condition. However, a minimal amount of black ink is used
- Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart. Colour document fax transmission speed is based on default setting using Canon Colour Fax Test Sheet Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc.

 Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1.
- new colour cartridae
- · GM4070 and GM2070 do not support borderless printing and photo printing even if a colour cartridge is installed


All printers work in Operating Environment of Temperature: 5 - 35°C; Humidity: 10 - 90 % RH (no dew All printers work in Storage Environment of Temperature: 0 - 40°C; Humidity: 5 - 95 % RH (no dew



Disclaimers for GM4070 and GM2070

GM4070 and GM2070 are monochrome inkjet printers. Although colour printing can be done by purchasing a compatible colour cartridge, it is recommended to utilise the ink in the installed cartridge

Once the installed ink cartridge is depleted please replace with the contact protector or fill up with a



Specifications are subject to change without notice.

- PPM print speed is based on the highest speed settings using Canon standard patterns on A4 plain paper. ² Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734. Document print speeds are the averages of FPOT in Office Category Test for the default simplex mode, ISO/IEC 17629:2014. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- ³ TWAIN driver (ScanGear) is based on the TWAIN specifications V1-9 and requires the Data Source Manager that comes with the operating system.
 ⁴ Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.

- ¹⁴ Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard. Increasing the scanning resolution will limit the maximum possible scanning area.
 ¹⁵ ADF continuous PC scan speed is determined from the time spent for scanning of multiple sets of the test pages that take more than 30 seconds after first set of scanning. The test charts (consist of 4 pages) are printed by the device for testing and used for measuring ISO/IEC 24735. Scan speed may vary depending on system origuration, interface, software, scan mode settings and document size and use frequency etc.
 ¹⁶ To prevent overheating of the Auto Document Feeder due to high volume copy or scan tasks, the printer will corosionally stop for a number of seconds after every scan. The length of the waiting period varies according to scan settings. Under the printer's default settings (300 dpi, colour), the printer will automatically enter the "vailting mode" once approximately 80 sheets of paper have been loaded continuously into the ADF over a short period of time.
- Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. ADF copy speed is the average of ESAT in General Performance Test for the default simplex mode, ISO/IEC 24735, excluding time to copy the first set. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warm-up time.
- Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart. Colour document fax transmission speed is based on default setting using Cannor Colour Fax Test Sheet. Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc. Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1.
- On the Monthly Duty Cycle value provides a basis for comparison of product robustness in relation to other Canon inkjet devices, and does not refer to the actual maximum image output per month.
- Acoustic Noise is measured based on ISO7779 standard.
- Declared vield value in accordance with ISO/IEC 24711 (for A4 size) using ISO/IEC 24712 test file. Values obtained by continuous printing.

Note: All printers work in Operating Environment of Temperature: $5 - 35^{\circ}$ C; Humidity: 10 - 90% RH (no dew condensation). Recommended Environment of Temperature: $15 - 30^{\circ}$ C; Humidity: 10 - 80% RH (no dew condensation). All printers work in Storage Environment of Temperature: $0 - 40^{\circ}$ C; Humidity: 5 - 95% RH (no dew condensation).

SPECIFICATIONS		
	WG7750F	WG7740
PRINT HEAD/INK		
Туре	Line Print Head wit	h FINE Technology
Number of Ink Bottles	4	1
Maximum Printing Resolution	1200 x	1200 dpi
PRINT SPEED		
Document (B&W/Colour)*1 Simplex, General Mode (600 dpi)	Up to 50 ppm	Up to 40 ppm
Document (B&W/Colour)*2	Up to 80 ppm	Un to 70 nnm

	WG7750F	WG7740
PRINT HEAD/INK		
Туре	Line Print Head with	n FINE Technology
Number of Ink Bottles	4	1
Maximum Printing Resolution PRINT SPEED	1200 x	1200 dpi
Document (B&W/Colour)*1 Simplex, General Mode (600 dpi)	Up to 50 ppm	Up to 40 ppm
Document (B&W/Colour)*2 Simplex, Office Document Mode (300 dpi)	Up to 80 ppm	Up to 70 ppm
Document (B&W/Colour)*1 Duplex, General Mode (300 dpi)	Up to 25 ppm	Up to 20 ppm
Document (B&W/Colour)*3 FPOT Ready/Simplex	Approx.	. 6.5 sec
Print Language	UFR II, PCL50	C, PCL6, PS3
MAXIMUM MEDIA SIZE (W X L)		
Default setting of Long Paper is ON (May be supported by firmware v1.2 or later) Default setting of Long Paper is OFF (For Taiwan only and may be supported by firmware 1.0 or 1.1)		81.8 mm (11.7 x 17") 2 x 711.2 mm (13 x 28")*4
SUPPORTED MEDIA SIZE		
Depending on area, custom size specification is different. Please refer to Maximum Media Size	11 x 17", 12 x 18", SRA3, 13 x Oficio, G-Letter, A-Letter, G- M-Oficio, E-Oficio, A-Oficio, F4A, 8 x 10", 10 x 12", 13 x 19", Cl	ent, Executive, Letter, Legal, 19°, K8, K16, Foolscap/Folio, Legal, A-Foolscap, B-Oficio, FS (Indian Legal), 4 x 6°, 5 x 7°, OM10, Monarch, ISO-C5, DL, 1.2 mm or 330.2 x 482.6 mm)
PRINTING MARGIN		
Bordered Printing Bordered Auto Duplex Printing	Top, Bottom, Left, R	light: 4 mm each*5
SUPPORTED MEDIA TYPE AND SIZE - CASSET	TE 1:	
Thin Paper (52-43 g/m²) Plain Paper (64-105 g/m²) Thick Paper (106-220 g/m²) Coloured Paper (64-82 g/m²) Recycled Paper (64-1105 g/m²) Bond Paper (83-99 g/m²)		cutive, Letter, K16, G-Letter
Envelope (75-105 g/m²)	COM10, Mona	rch, ISO-C5, DL

SUPPORTED MEDIA TYPE AND SIZE - CASSETTE 2, 3: in Paper (52-63 g/m²) sin Paper (64-105 g/m²) ick Paper (106-220 g/m² A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, 11x17°, K16, K8, Foolscap/Folico, Oficio, G-Letter, A-Letter, G-Legal, A-Foolscap, B-Oficio, M-Oficio, E-Oficio, A-Oficio, F4A, FS (Indian Legal) d Paper (64-82 c cycled Paper (64-105 g/md Paper (83-99 g/m²) SUPPORTED MEDIA TYPE AND SIZE - CASSETTE 4: A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, 11 x 17". K16, K8. Foolscap/Folio, Oficio, G-Letter, A-Letter

G-Legal, A-Foolscap, B-Oficio, M-Oficio, E-Oficio, A-Oficio, F4A, FS (Indian Legal) SUPPORTED MEDIA TYPE AND SIZE - MULTI-POSE TRAV A5. A4. A3. B5, B4, Statement, Executive, Letter, Legal, 11 x 17", 12 x 18", SRA3, 13 x1 9", K16, K8, Foolsco M-Oficio, E-Oficio, A-Oficio, F4A, FS (Indian Legal), 4 x 6" COM10, Monarch, ISO-C5, Di velope (75-105 a/r

4 x 6", 5 x 7", 8 x 10", 10 x 12", A4/LTR, A3, 13 x 19"

A4, B4, Letter

PAPER CASSETTE CAPACITY (80g/m²) Multi-Purpose Tray 50 sheets A3: 100 sheets, A4/LTR: 250 sheets SUPPORTED MEDIA TYPE FOR DOUBLE SIDE F Thin Paper, Thick Paper, Plain Paper, Coloured Paper, Recycled Paper, Bond Paper A5 - 12 x 18" / 52-220 g/m² ize/Weight Flatbed & ADF canner Type CIS (Contact Image Sensor) x 2 Sen uplex Scanning 600 x 600 dpi 9600 x 9600 dp SCANNING BIT DEPTH (INPUT/OUTPUT) 10 bit/8 bit 30 bit/24 bit (RGB each 10 bit/8 bit) SCANNING SPEED*9 Document (ADF): Simplex Colour, Simplex B&W Approx. 40 ipm

ocument (ADF): Duplex Colour ouplex B&W Approx. 65 ipm Maximum Paper Capacity (80 g/m²)
MAXIMUM DOCUMENT SIZE 100 sheets atbed and ADF A3/11 x 17" A5, A4, A3, B5, B4, Statement, Executive, Letter, Legal, 11 x 17' 12x 18', S9A3, 13x 19', K8, K16, Foalscap/Folio, Oficio, G-Letter, A-Letter, G-Legal, A-Foolscap, B-Oficio, M-Oficio, A-Oficio, A-Oficio, A-Oficio, A-Oficio, FAA, E5 (Inclian Legal), 4 x 6', 5 x 7', 8 x 10', 10 x 12', 13x 19', COM10, Monarch, ISO-C5, DL, Custom size (Up to 330 x 482 mm Supported Media Size

50 ppm (B&W, Colour)

40 ppm (B&W, Colour)

Specifications are subject to change without notice.

Print Speed is based on ISO/IEC 24734. Measured in default mode (General Mode: 600 dpi) and calculated by Canon original methodology, Print speed varies depending on system configuration, interface, software, content of document, print mode, media type, weight and used cassette etc.

Print Speed is based on ISO/IEC 24734. Measured in fast mode (Office Document Mode: 300dpi) and calculated by Canon original methodology. Print speed varies depending on system configuration, interface, software, content of document, print mode, media type, weight and used cassette etc.

Print Speed (POD) is based on ISO/IEC17629. Print speed varies depending on system configuration, interface, software, content of document, print mode, media type, weight and used cassette etc.

With customs setting, cassette 1 supports 90.0 x 190.0 mm to 216.0 x 297.0 mm, cassette 2, 3 and 4 supports 139.7 x 210.0 mm to 297.0 x 431.8 mm.

Depending on the driver software, this margin varies.

Will All Ariver (SconGear) is based on the TWAIN specification V1.6.

Specifications are subject to change without notice.

COPY SPEED*10

anon Matte Photo Pape

SCAN

- TWAIN driver (ScanGear) is based on the TWAIN specification V1.6.
- Optical Resolution is based on ISO/IEC 14473. This is the maximum sampling rate when scanning the original.

When scanning in high resolution, scanning area size may be limited.

Average copy time from ADF. Set the original on ADF and measure time from pushing the scanning button

	Multiple Copy				
	Applicable Line		PSTN (Public Switched		
			Telephone Network)		
	Modem Speed		Super G3 (Up to 33.6 Kbps)/ G3 (Up to 14.4 Kbps)		
			Approx. 3 sec/page		
	Transmission Speed		(33.6 Kbps)		
			(B&W only)		
	Compression Me	thod*12	MH, MR, MMR, JBIG (B&W only)		
	Gradation		256 (B&W only)	NA	
	5.000.1011		8 dots/mm x 3.85 lines/mm		
×			(Standard)		
FAX			8 dots/mm x 7.7 lines/mm (Fine)		
	Fax Resolution		8 dots/mm x 15.4 lines/mm		
			(Super Fine) 16 dots/mm x 15.4 lines/mm		
			(Ultra Fine)		
	MEDIA SIZE		1117" LOL LTD A2 D4 A4		
	Sending		11 x 17", LGL, LTR, A3, B4, A4, B5*13, A5*14		
	Receiving		11 x 17", LGL, LTR, A3, B4, A4, B5, A5, 8K, 16K	NA	
	Fax Memory*15		Up to 512 pages		
	AUTOMATIC DIAL	LING	0p 10 512 pages		
	One-Touch Diallir		Up to 19 (Best Member)		
	Coded Dialling		Up to 281	NA	
	Group Dialling	Dratagal	Up to 199	D (TOD (ID) CATTO	
0	Communication Address Book	PIUIUCUI	FTP (TCP/IP), SM		
SEND	Send Resolution			dresses , 300 x 300 dpi	
SE		Single Page		, PDF, JPEG	
	File Format	Multiple Pages	TIFF (MI		
υS	Canon Print Busin	ess, Canon Print Service,			
PRINTING COLUTIONS	AirPrint [™] , Mopria [©] Google Cloud Pri	Certified nt™	Avail	able	
ĘĔ.		INT (USB MEMORY)			
돌	Compatible Format		USB 2.0 compatible		
<u>т</u> х	File Format		JPEG/TIF	F/PDF	
	WIRED LAN		1000D T:	TV (100 T	
	Network Type			Base-TX/10Base-T	
×	Data Rate WIRELESS LAN		1Gbps (1000Mbps)	, rouviops, ruiviops	
ő	Network Type		IEEE 802.11 b/g/n		
≥	Frequency Band		2.4 GHz		
NETWORK			Infrastructure Mode:		
_	Security		128 (104)/64 (40) bit WEP, WPA-PSK (TKIP/AES),	NA	
			WPA2-PSK (TKIP/AES); Access Point Mode:		
	·				
	,		WPA2-PSK (AES-CCMP)		
	Please visit https:		WPA2-PSK (AES-CCMP) Windows	10/8.1/7	
	Please visit https: to confirm OS co	mpatibility and	WPA2-PSK (AES-CCMP) Windows Windows Server 2016/20	12 R2/2012/2008 R2/2008	
N.	Please visit https: to confirm OS co download the lat	mpatibility and est driver	WPA2-PSK (AES-CCMP) Windows	12 R2/2012/2008 R2/2008	
NOIL	Please visit https: to confirm OS co	mpatibility and est driver	WPA2-PSK (AES-CCMP) Windows Windows Server 2016/20	12 R2/2012/2008 R2/2008 nacOS 10.12 ~ 10.14	
MPTION	Please visit https: to confirm OS co download the lat OPERATION PANE Display INTERFACE	mpatibility and est driver EL	WPA2-PSK (AES-CCMP) Windows Windows Server 2016/20' OS X 10.8.5 ~ 10.11, n 5.0' LCD To	12 R2/2012/2008 R2/2008 nacOS 10.12 ~ 10.14 uch Screen	
UMPTION	Please visit https: to confirm OS co download the lat OPERATION PANE Display INTERFACE USB Port for USB N	mpatibility and est driver L Memory/PC	WPA2-PSK (AES-CCMP) Windows Windows Server 2016/20 OS X 10.8.5 - 10.11, n 5.0° LCD To	12 R2/2012/2008 R2/2008 nacOS 10.12 ~ 10.14 uch Screen	
NSUMPTION	Please visit https: to confirm OS co download the lat OPERATION PANE Display INTERFACE	mpatibility and est driver	WPA2-PSK (AES-CCMP) Windows Windows Server 2016/20' OS X 10.8.5 ~ 10.11, n 5.0' LCD To	12 R2/2012/2008 R2/2008 nacOS 10.12 ~ 10.14 uch Screen	
SONSUMPTION	Please visit https: to confirm OS co download the lat OPERATION PANE Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature	mpatibility and est driver	WPA2-PSK (AES-CCMP) Windows Windows Server 2016/20 OS X 10.8.5 ~ 10.11, n 5.0" LCD To USB 2.0 F Available	12 R2/2012/2008 R2/2008 naccOS 10.12 ~ 10.14 uch Screen Il-Speed NA	
TS/ R CONSUMPTION	Please visit https: to confirm OS co download the lat OPERATION PANE Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity	mpatibility and est driver	WPA2-PSK (AES-CCMP) Windows Windows Server 2016/20' OS X 10.8.5 - 10.11, n 5.0" LCD To USB 2.0 H Available	12 R2/2012/2008 R2/2008 naccOS 10.12 ~ 10.14 uch Screen Il-Speed NA	
ENTS/ VER CONSUMPTION	Please visit https: to confirm OS co download the lat OPERATION PANE Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER	mpatibility and est driver	WPA2-PSK (AES-CCMP) Windows Server 2016/20' OS X 10.8.5 ~ 10.11, n 5.0" LCD To USB 2.0 F Available 15-3 20-90% RH (without)	12 R2/2012/2008 R2/2008 nacOS 10.12 ~ 10.14 uch Screen li-Speed NA NA 35°C uit condensation)	
MENTS/ OWER CONSUMPTION	Please visit https: to confirm OS co download the lat OPERATION PANE Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER POWER	mpatibility and est driver	WPA2-PSK (AES-CCMP) Windows Windows Server 2016/20 OS X 10.8.5 ~ 10.11, n 5.0" LCD To USB 2.0 F Available 15-: 20-90% RH (witho	12 R2/2012/2008 R2/2008 nacOS 10.12 ~ 10.14 uch Screen Il-Speed NA 35°C uit condensation) V, 50/60Hz	
REMENTS/ POWER CONSUMPTION	Please visit https: to confirm OS cor download the lad OPERATION PANE DISPORT USB POT for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER POWER Power Supply Copy/Print Ready	mpatibility and est driver	WPA2-PSK (AES-CCMP) Windows Server 2016/20' OS X 10.8.5 ~ 10.11, n 5.0" LCD To USB 2.0 F Available 15-3 20-90% RH (without)	12 R2/2012/2008 R2/2008 nacOS 10.12 - 10.14 uch Screen il-Speed NA 35°C uit condensation) V, 50/60Hz 110 W	
AUREMENTS/	Please visit https: to confirm OS cot download the lat OPERATION PANE Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER Power Supply Copy/Print Ready Sleep	mpatibility and est driver	WPA2-PSK (AES-CCMP) Windows Server 2016/20 OS X 10.8.5 ~ 10.11, n 5.0" LCD To USB 2.0 F Available 15-3 20-90% RH (without Approx Approx Approx Approx Approx Approx Approx Approx Mindows Windows Approx Mindows Windows Approx Approx Approx Approx Mindows Mindows Mindows Approx Mindows Mindo	12 R2/2012/2008 R2/2008 nacOS 10.12 ~ 10.14 uch Screen NA 35°C ut condensation) V. 50/60Hz .10 W	
g s	Please visit https: to confirm OS co download the lat OPERATION PANE Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER Power Supply Copy/Pint Ready Sleep OFF	mpatibility and est driver EL ILemony/PC be Line RONMENT*16	WPA2-PSK (AES-CCMP) Windows Server 2016/20 OS X 10.8.5 ~ 10.11, n 5.0° LCD To USB 2.0 + Available 15-: 20-90% RH (witho AC 100-240 Approx Approx Approx Approx Approx	12 R2/2012/2008 R2/2008 nacOS 10.12 ~ 10.14 uch Screen Il-Speed NA 35°C ut condensation) V, 50/60Hz .110 W .55 W .1.9 W .0.1 W	
g s	Please visit https: to confirm OS coi download the lat OPERATION PANE Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humicitity POWER Power Supply Copy/Print Ready Sleep OFF Maximum Power	mpatibility and est driver EL ILemony/PC be Line RONMENT*16	WPA2-PSK (AES-CCMP) Windows Server 2016/20' OS X 10.8.5 ~ 10.11, n 5.0' LCD To USB 2.0 I- Available 15; 20-90% RH (witho AC 100-240 Approx A	12 R2/2012/2008 R2/2008 R2/200	
g s	Please visit https: to confirm OS co download the lat OPERATION PANE Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER Power Supply Copy/Print Ready Sleep OFF Maximum Power Duty Cycle Recommended N	mpatibility and est driver ::L !L !demony/PC : Line RONMENT*16	WPA2-PSK (AES-CCMP) Windows Server 2016/20 OS X 10.8.5 - 10.11, n 5.0° LCD To USB 2.0 F Available 15 - : 20 - 90% RH (witho Approx Appr	12 R2/2012/2008 R2/2008 nacOS 10.12 ~ 10.14 uch Screen NA 35°C ut condensation) V, 50/60Hz .110 W .55 W .1.9 W .0.1 W .0.1 W .0.1 W .0.2 W .0.1 W .0.2 W .0.2 W .0.3 W .0.3 W .0.3 W .0.3 W .0.4 W .0.4 W .0.5 W	
g s	Please visit https: to confirm OS co download the lat OPERATION PANI Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER Power Supply Copy/Print Readdy Sleep OFF Maximum Power Duty Cycle Recommended I Printing Volume	mpatibility and est driver :L. Memory/PC :Line RONMENT*16	WPA2-PSK (AES-CCMP) Windows Server 2016/20' OS X 10.8.5 ~ 10.11, n 5.0' LCD To USB 2.0 I Available 15 20-90% RH (witho Act 100-240 Approx Ap	12 R2/2012/2008 R2/2008 nacOS 10.12 ~ 10.14 uch Screen NA 35°C ut condensation) V, 50/60Hz .110 W .55 W .1.9 W .0.1 W .0.1 W .0.1 W .0.2 W .0.1 W .0.2 W .0.2 W .0.3 W .0.3 W .0.3 W .0.3 W .0.4 W .0.4 W .0.5 W	
g s	Please visit https: to confirm OS cot download the lat OPERATION PANI Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER Power Supply Copy/Print Ready Sileep OFF Maximum Power Duty Cycle Recommended Printing Volume DIMENSION (W x	mpatibility and est driver EL Memory/PC FLINE RONMENT*** Consumption Monthly D x H)	WPA2-PSK (AES-CCMP) Windows Server 2016/20 OS X 10.8.5 ~ 10.11, n 5.0° LCD To USB 2.0 F Available 15-: 20-90% RH (witho AC 100-240 Approx Approx Approx Approx 100,000 1,000 to 5.1	12 R2/2012/2008 R2/2008 nacOS 10.12 ~ 10.14 uch Screen NA 35°C ut condensation) V. 50/60Hz .110 W .55 W .1.9 W .0.1 W .300 W .pages	
g s	Please visit https: to confirm OS cor download the lat OPERATION PANE Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER Power Supply Copy/Print Ready Sleep OFF Maximum Power Duty Cycle Recommended I Printing Volume DIMENSION (W x Standard Configu	mpatibility and est driver set dr	WPA2-PSK (AES-CCMP) Windows Server 2016/20 OS X 10.8.5 ~ 10.11, n 5.0° LCD To USB 2.0 I Available 15 20-90% RH (witho Approx Approx Approx Approx 100.000 1,000 to 5,6	12 R2/2012/2008 R2/2008 nacOS 10.12 ~ 10.14 uch Screen NA 35°C ut condensation) V. 50/60Hz .110 W .55 W .1.9 W .0.1 W .300 W .pages	
g s	Please visit https: to confirm OS cor download the lat OPERATION PANE Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER Power Supply Copy/Print Ready Sleep OFF Maximum Power Duty Cycle Recommended I Printing Volume DIMENSION (W x Standard Configu	mpatibility and est driver EL Memory/PC FLINE RONMENT*** Consumption Monthly D x H)	WPA2-PSK (AES-CCMP) Windows Server 2016/20 OS X 10.8.5 ~ 10.11, n 5.0° LCD To USB 2.0 I Available 15 20-90% RH (witho Approx Approx Approx Approx 100.000 1,000 to 5,6	12 R2/2012/2008 R2/2008 R0/2008 R0/2	
g s	Please visit https: to confirm OS cor download the lat OPERATION PANE Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER Power Supply Copy/Print Ready Sleep OFF Maximum Power Duty Cycle Recommended h Printing Volume DIMENSION (W x Standard Config With Optional Co	mpatibility and est driver EL Memory/PC Line RONMENT*10 Consumption Monthly D x H) aration assette Feeding Unit SSORIES	WPA2-PSK (AES-CCMP) Windows Server 2016/20 OS X 10.8.5 - 10.11, n 5.0" LCD To USB 2.0 F Available 15 - : 20 - 90% RH (witho AC 100-240 Approx. Approx Approx Approx 100.000 1.000 to 5.6 Approx. 560 x Approx. 568 x Approx. 568 x	12 R2/2012/2008 R2/2008 12 R2/2012/2008 12 R2/2012/2008 13 R2/2012 14 R2/2012 15 R2/	
g s	Please visit https: to confirm OS cot download the lat OPERATION PANI Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER Power Supply Copy/Print Readdy Sleep OFF Maximum Power Duty Cycle Recommended h Printing Volume DiMENSION (W x Standard Configu With Optional Co Weight OPTIONAL ACCE: Cassette Feeding	mpatibility and est driver II. Idemory/PC II. Idemory/PC II. Consumption Anothly D x H) Juration SSORIES Junit: CF10	WPA2-PSK (AES-CCMP) Windows Server 2016/20 OS X 10.8.5 - 10.11, n 5.0" LCD To USB 2.0 F Available 15 - : 20 - 90% RH (witho AC 100-240 Approx. Approx Approx Approx 100.000 1.000 to 5.6 Approx. 560 x Approx. 568 x Approx. 568 x	12 R2/2012/2008 R2/2008 nacOS 10.12 ~ 10.14 uch Screen II-Speed NA 35°C ut condensation) V. 50/60Hz 110 W 55 W 1.19 W 0.1 W 3300 W pages 000 pages 590 x 880 mm Approx. 81.5 kg	
g s	Please visit https: to confirm OS cot download the lat OPERATION PANI Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER Power Supply Copy/Print Ready Sileep OFF Maximum Power Duty Cycle Recommended th Printing Volume DIMENSION (W x Standard Configu With Optional ACCE Cassette Feeding Dimension (W x X	mpatibility and est driver II. Idemory/PC II. Idemory/PC II. Consumption Anothly D x H) Juration SSORIES Junit: CF10	WPA2-PSK (AES-CCMP) Windows Windows Server 2016/20 OS X 10.8.5 ~ 10.11, n 5.0" LCD To USB 2.0 F Available 15: 20 - 90% RH (witho AC 100-240 Approx. Approx	12 R2/2012/2008 R2/2008 naccOS 10.12 ~ 10.14 uch Screen li-Speed NA 35°C uut condensation) V. 50/60Hz 1.10 W .55 W 1.19 W .0.1 W .300 W 1 pages 500 x 880 mm Approx. 81.5 kg 590 x 253 mm	
REGIONS	Please visit https: to confirm OS cot download the lat OPERATION PANI Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER Power Supply Copy/Print Readdy Sleep OFF Maximum Power Duty Cycle Recommended h Printing Volume DiMENSION (W x Standard Configu With Optional Co Weight OPTIONAL ACCE: Cassette Feeding	mpatibility and est driver II. Idemory/PC II. Idemory/PC II. Consumption Anothly D x H) Juration SSORIES Junit: CF10	WPA2-PSK (AES-CCMP) Windows Windows Server 2016/20 OS X 10.8.5 ~ 10.11, n 5.0" LCD To USB 2.0 I Available 15; 20 - 90% RH (witho AC 100-240 Approx. Approx A	12 R2/2012/2008 R2/2008 R2/2008 RacOS 10.12 ~ 10.14	
g s	Please visit https: to confirm OS coi download the lat OPERATION PANE Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humicitiy POWER Power Supply Copy/Print Ready Sleep OFF Maximum Power Duty Cycle Recommended Printing Volume DIMENSION (W x Standard Config With Optional Co Weight OPTIONAL ACCE: Cassette Feeding Dimension (W x I Weight	mpatibility and est driver st. Memory/PC Line RONMENT*16 Consumption Monthly D x H) Juration Sessette Feeding Unit SSORIES SURIE: CF10 x H)	WPA2-PSK (AES-CCMP) Windows Windows Server 2016/20 OS X 10.8.5 ~ 10.11, n 5.0" LCD To USB 2.0 F Available 15: 20 - 90% RH (witho AC 100-240 Approx. Approx	12 R2/2012/2008 R2/2008 R2/2008 RacOS 10.12 ~ 10.14	
g s	Please visit https: to confirm OS cot download the lat OPERATION PANI Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER Power Supply Copy/Print Ready Sieep OFF Maximum Power Duty Cycle Recommended 1 Printing Volume DiMENSION (W. x. Standard Configu With Optional Ca Weight OPTIONAL ACCE: Cassette Feeding Dimension (W. x. Weight Pedestal: CB10	mpatibility and est driver st. Memory/PC Line RONMENT*16 Consumption Monthly D x H) Juration Sessette Feeding Unit SSORIES SURIE: CF10 x H)	WPA2-PSK (AES-CCMP) Windows Windows Server 2016/20 OS X 10.8.5 ~ 10.11, n 5.0" LCD To USB 2.0 I Available 15; 20 - 90% RH (witho AC 100-240 Approx. Approx A	12 R2/2012/2008 R2/2008 naccOS 10.12 ~ 10.14 uch Screen li-Speed NA 35°C ut condensation) V. 50/60Hz 110 W .55 W .1.9 W .0.1 W .300 W 1 pages 590 x 880 mm 590 x 1133 mm Approx. 81.5 kg 590 x 253 mm .19 kg 590 x 266 mm	
g s	Please visit https: to confirm OS cot download the lat OPERATION PANI Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER Power Supply Copy/Print Ready Sleep OFF Maximum Power Duty Cycle Recommended N Printing Volume DiMENSION (W x S Standard Configu With Optional Co Weight OPTIONAL ACCE Cassette Feeding Dimension (W x E Weight Pedestal: CB10 Dimension (W x E Weight	mpatibility and est driver st. Memory/PC Line RONMENT*16 Consumption Monthly D x H) J x H)	WPA2-PSK (AES-CCMP) Windows Server 2016/20 OS X 10.8.5 - 10.11, n 5.0" LCD To USB 2.0 I Available 15-: 20-90% RH (witho AC 100-240 Approx. Approx. Approx Approx Approx Approx. 560 x	12 R2/2012/2008 R2/2008 R2/2008 R0COS 10.12 ~ 10.14 uch Screen	
g s	Please visit https: to confirm OS cot download the lat OPERATION PANI Display INTERFACE USB Port for USB N For Phone/Phone OPERATING ENVI Temperature Humidity POWER Power Supply Copy/Print Ready Sileep OFF Maximum Power Duty Cycle Recommended th Printing Volume DIMENSION (W x Standard Configu With Optional Coe Cassette Feeding Dimension (W x I Weight Pedestal: CB10 Dimension (W x I Dimension (W x I	mpatibility and est driver EL Memory/PC Line RONMENT*10 Consumption Monthly D x H) aration assette Feeding Unit SSORIES Unit: CF10 x H)	WPA2-PSK (AES-CCMP) Windows Windows Server 2016/20 OS X 10.8.5 ~ 10.11, n 5.0" LCD To USB 2.0 I Available 15.: 20 - 90% RH (witho AC 100-240 Approx. Approx Approx Approx Approx Approx Approx Approx. 560 x	12 R2/2012/2008 R2/2008 naccOS 10.12 ~ 10.14 uch Screen li-Speed NA 35°C ut condensation) V. 50/60Hz 110 W .55 W .1.9 W .0.1 W .300 W 1 pages 590 x 880 mm Approx. 81.5 kg 590 x 253 mm .19 kg 590 x 266 mm 11.8 kg 12.000	

BUSINESS

ent: Colour, sFCOT/Simplex

- Copy Speed is based on Canon original Method. With Canon original chart, execute the continuous copy and calculate copy pages per minute.
 First-Copy-Out Time is based on ISO/IEC 29183.
 Data transfer speed is measured in default mode with Canon original FAX testing chart. Actual speed varies depending on content of document, receiving settings at the destination, transfer line status and etc.
 Print Speed (FPOT) is based on ISO/IEC17629. Print Speed varies depending on system configuration, interface, software, content of document, print mode, media type, weight and used cassette etc.
 With Custom setting, cassette 1 supports 90.0 x 190.0 mm to 216.0 x 297.0 mm, cassette 2.3 and 4 supports 139.7 x 210.0 mm to 297.0 x 431.8 mm.
 Fax memory is measured with Canon original FAX testing chart. This number varies depending on the
- Fox memory is measured with Canon original FAX testing chart. This number varies depending on the available memory size, content of document and etc.
- Print quality might be lower depending on the operating environment.
- Page yield is the estimated value based on Canon individual test method using the ISO/IEC 24711 (fest method). and ISO/IEC 24712 (chart). Depending on print mode, print original, environment, user maintenance mode and ifs requency etc, this value varies. Page yield is based on the consumption data from the succeeding ink bottles but the first ink bottle. Page vield of setup ink bottle is based on remaining ink after consuming for initial printer setup.

	SPECIFICATIONS			PROFESSIONAL PHOTO						
					-			- 1		
				PRO-500		PRO-10		PRO-100		iP8770
Maximum Printing Resolution*1			2400 x 1200 dpi				2400 dpi		9600 x 2400 dpi	
	Number of Ink Cartridges Min. Ink Droplet Size			12 4 pl			10 4 pl		8 3 pl	6 NA
		Document: B&W/Colour	ESAT/Simplex				NA	ı		14.5 ipm/10.4 ipm
		B&W/Coloui	Black & White/	6	min					
		A2 Photo with Border	Colour PT-101 Black & White/	2 min	n 35 sec	_			NA	
	Print Speed*2		Colour LU-101 Black & White/					2 mir	155 sec/	
	(approx.)		Colour PT-101 Black & White/		n 55 sec/		20 sec/	1 mir	n 30 sec	NA NA
PRINT		A3+ Photo with Border	Colour PP-201	2 mi	n 30 sec	3 mir	1 35 sec	1 mir	n 30 sec	NA/2 min
쭙		WIIIT BOIGET	Black & White/ Colour SG-201		n 55 sec/ n 30 sec		20 sec/ 1 35 sec		1 55 sec/ 1 30 sec	NA
			Black & White/ Colour LU-101	2 mii	n 30 sec		20 sec/ 35 sec		155 sec/ 130 sec	NA
		Photo (4 x 6")	PP-201/Borderless		9 sec	1 mir	1 45 sec		4 sec	36 sec
	Printing Capabili	ty	Borderless Printing*3	Up to A2 A2/B3 = 20,				Up	to A3+	
	Standard Paper I	Innut	Plain Paper (Sheets)	A3/A4/	A5/B4/B5/ er = 150		N	IA		A3/A4/A5/B4/B5 Letter = 150
	(Rear Tray)	pui	Photo Paper Pro Platinum (PT-101)		6" = 20, A = 10, A2 = 1			4 x 6" = 20, A3	3/A4 = 10, A3+ = 1	ı
	Disc Handling (D	Disc Tray)	Printable Disc		NA			1 (Manual har	ndling by disc tray)	
	Paper Handling		Manual Feed Slot			Yes			NA	
₹	Windows (Pl Macintosh CO		asia.canon to confirm OS download the latest driver)	Windows 10/8/7/Vista SP2 Mac OS X 10.7.5 & later		Windows 10/8/7/Vista/XP Mac OS X 10.5 & later			Mac OS X 10.7.5 & later	
NETWORK/SYSTEM REQUIREMENTS & GENERAL SPECIFICATIONS	Interface			Wireless LAN IEEE 802.11 b/g/n, 100 Base-TX/10 Base-T, USB 2.0 Hi-Speed Wireless LAN IEEE 802.11 b/g/n, 100 Base-TX		/10 Base-T,	Wireless LAN IEEE 802.11 b/g/n, USB 2.0 Hi-Speed			
ORK/S) ENTS & FICATI	Mobile Printing A	pplications		Our Dist		on PRINT Inkjet/SELPHY, Canon Pro Gallery Print			Canon PRINT Inkjet/SELPHY, Message in Print, Easy-PhotoPrint Editor	
	Other Connectiv	ity Features		Wireless/Wire	Service, AirPrint™, ed LAN PictBridge		anon Print Service, A			Canon Print Service, AirPrint™, Google Cloud Print™, Wireless PictBridge
	Power Consumpt	tion (approx.)		(2.5 W	37 W Standby)	17 W 19 W (2.3 W Standby) (2.3 W Standby)		23 W (1.9 W Standby)		
뿐	Dimensions (W x Weight (approx.)				5 x 285 mm 2.3 kg	20	689 x 385	x 215 mm	1.7 kg	590 x 331 x 159 mm 8.5 kg
	A2 Colour Photo (ISO 29103) (Sheets)			PFI-50C: 675 PFI-50M: 965 PFI-50Y: 329 PFI-50PC: 600 PFI-50PM: 374 PFI-50R: 935	PFI-50MBK: 1600 PFI-50PBK: 256 PFI-50BL: 545 PFI-50GY: 106 PFI-50PGY: 270 PFI-50CO: 97				D-100 8 8 8 8 pl NA 55 sec / 30 sec 30 sec 130 sec 55 sec / 130 sec 156 sec / 130 sec 158 sec / 130 sec 160 A3+ 17 A4 = 10, A3+ = 1 Idling by disc tray) 10 Base-T, Idling by disc tray 10 Base-T, Idling by disc tray	
	A2 Mono Photo F (ISO 29103) (Sheets)	Paper PT-101		PFI-50C: 1000 PFI-50M: 1675 PFI-50Y: 1365 PFI-50PC: 570 PFI-50PM: 387 PFI-50R: 1430	PFI-50MBK:1535 PFI-50PBK: 254 PFI-50BL: 2420 PFI-50GY: 86 PFI-50PGY: 88 PFI-50CO: 101				NA	
	A3+ Colour Photo (ISO/JIS-SCID N2 and ISO 29103 (F (Sheets)	test file*4		PFI-50C: 1055 PFI-50M: 1495 PFI-50Y: 515 PFI-50PC: 940 PFI-50PM: 585 PFI-50R: 1455	PFI-50MBK: 2500 PFI-50PBK: 392 PFI-50BL: 845 PFI-50GY: 167 PFI-50PGY: 425 PFI-50CO: 156	PGI-72C: 75 ⁻⁶ PGI-72M: 83 ⁻⁶ PGI-72Y: 83 ⁻⁶ PGI-72PC: 86 PGI-72PM: 69	PGI-72R: 132 ¹⁶ PGI-72MBK: 238 ¹⁶ PGI-72PBK: 45 ¹⁶ PGI-72GY: 31 PGI-72CO: 31	CLI-42C: 53 CLI-42M: 49 CLI-42Y: 52 CLI-42PC: 59°6	CLI-42BK: 62*6 CLI-42GY: 66*6	NA
PAGE YIELD	A3+ Mono Photo (ISO/JIS-SCID N2 (Sheets)	Paper PT-101 MONO test file)* ⁴			NA	PGI-72C: 164 ^{*6} PGI-72M: 230 ^{*6} PGI-72Y: 232 ^{*6} PGI-72PC: 87 PGI-72PM: 76	PGI-72R: 280 ^{°6} PGI-72MBK: 174 ^{°6} PGI-72PBK: 35 ^{°6} PGI-72GY: 32 PGI-72CO: 28	CLI-42C: 645 CLI-42M: 700 CLI-42Y: 158 CLI-42PC: 71 ⁻⁶	CLI-42BK: 49 ^{*6} CLI-42GY: 32 ^{*6}	NA
8	4 x 6" Photo Paper PT-101/PP-201 (IP8770) (ISO/IEC 29103 test file) ¹⁵ (Sheets)			NA		PGI-72M: 685 ^{*6} PGI-72Y: 430 ^{*6} PGI-72PC: 346	PGI-72R: 1000°6 PGI-72MBX: 1000°6 PGI-72PBX: 430°6 PGI-72GY: 172 PGI-72CO: 181	CLI-42C: 484 CLI-42M: 410 CLI-42Y: 279 CLI-42PC: 269*6	CLI-42BK: 810*6	CLI-751 (C/M/Y): 153 CLI-751GY: 126 CLI-751BK: 337 ⁻⁶ PGI-750PGBK: 2070 ⁻⁶ Optional: CLI-751 (C/M/Y) XL: 374 CLI-751GY XL: 275 CLI-751BK XL: 870 ⁻⁶
	Plain Paper A4 (ISO/IEC 24712 to (Pages)	est file)* ⁵				1	NA			PGI-750PGBK XL: 4775°6 CLI-751 (C/M/Y): 310 CLI-751GY: 780°6 CLI-751BK: 1105°6 PGI-750PGBK: 300 Optional: CLI-751 (C/M/Y) XL: 670 CLI-751 GY XL: 3350°6 CLI-751BK XL: 4405°6 PGI-750PGBK XL: 500

- Specifications are subject to change without notice.

 1 Ink droplets can be placed with a pitch of 1/9600 or 1/4800 or 1/2400 inch at minimum.

 2 Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734. Photo print speed is based on the default setting using ISO/JIS-SCID NS (PRO-500)/N2 (PRO-10), PRO-100. IP8770) and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used, etc.

 3 Paper types NOT supported for borderless printing are as follows: PRO-10, PRO-100, IP8770 Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers, Plain Paper and other fine art paper.

ZINK™ Photo Paper

Storage Environment

When printing ISO/JIS-SCID N2 test file at 11 x 14" size continuously on A3+ Photo Paper Pro Platinum with the default settings of testing paper using Windows 7 printer driver and PhotoShop CS3.
 Declared yield value in accordance with ISO/IEC 24711 (for A4 size) using ISO/IEC 24712 test file, and ISO/IEC 29102 (for 4 x 6" size) using ISO/IEC 29103 test file. Values obtained by continuous printing.
 Estimated Supplemental Yield.

Note:
All printers work in Operating Environment of Temperature: 5 - 35°C; Humidity: 10 - 90 % RH (no dew condensation).
Recommended Environment of Temperature: 15 - 30°C; Humidity: 10 - 80 % RH (no dew condensation).
All printers work in Storage Environment of Temperature: 0 - 40°C; Humidity: 5 - 95 % RH (no dew condensation).

			NAINII DI LOTO DDINITEDO						
	SPECIFICATIONS	MINI PHOTO PRINTERS							
		ZV-123A	CV-123A	PV-123A					
	Maximum Printing Resolution	314 x 600 dpi	314 x 500 dpi	314 x 400 dpi					
	Print Speed (approx.)	-							
	Media Type	ZINK™ Photo Paper							
	Paper Size	2 x 3" (50 x 76mm)							
	Paper Handing (Max.)	Up	HEET TM						
	Connectivity	Bluetooth 4.0		Bluetooth 4.0					
	Printer Connection	Bluetooth - via Canon Mini Print app		Bluetooth - via Canon Mini Print app					
-	NFC	iOS (Requires 3rd party NFC reader, available on iPhone 7 or later Android (Works with models with NFC support and preloaded NFC reader)	NA NA	iOS (Requires 3rd party NFC reader, available on iPhone 7 or later Android (Works with models with NFC support and preloaded NFC reader)					
	Connector for Charging and Data Transfer								
	Built-in Battery	Rechargeable lithiu	Rechargeable lithium polymer - 500mAh						
	Battery Life	Approx. 25 she	eets per charge	Approx. 20 sheets per charge					
PRINTER	Auto Power OFF	Yes (3 min/5 min/10 min) (Setting on App)	Yes (5 min)	Yes (None/3 min/5 min/10 min)					
Į	Reset Button								
Δ.	Charge Time	Up to 120 min	90 min						
		Power Button							
		Shutter							
	Control Panel	Reprint	NA NA						
		Aspect Ratio Butt							
		Slide Switch (Flash Off/Flash Auto/Fill Light)	NA						
	Memory Card Compatible	Yes, Micro SD Ca	rd (Up to 256GB)	NA					
	Dimension (L x H x D) (approx.)	121 x 80.3 x 21.5 mm	121 x 78.3 x 23.7 mm	118.3 x 82.3 x 18.7 mm					
	Weight (approx.)	188 g	170 g	160 g					
	Recommended Operating and Charging Temperature	15 - 32°C							
	Recommended Operating Humidity	40 - 55% RH 5 - 40°C							
	Operating Temperature								
	Operating Humidity		< 70% RH						
CAMERA SPECIFICATIONS	Single Still Photo Resolution/Format	8MP/JPEG	5MP/JPEG						
	Auto Flash Light/Fill Light	Yes/Yes (8 LEDS)	Yes/NA	_					
	Photo Aspect Ratio	2x2" (50 x 2x3" (50 x							
	Focus	Fixed (Range: 30 cm ~ ∞)	Fixed (Range: 50 cm ~ ∞)	NA					
	Zoom	Fixe							
	ISO	Auto (Range							
	White Balance	Au							
	Exposure Adjustment	Au							
SNO	Compatible OS (for PC)	Windows 7 OS X 10.10 ~							
SIFICATIONS	Compatible OS (for mobile app)	iOS 9.0 or above Android 4.4 or above	. NA	iOS 9.0 or above Android 4.4 or above					
買	Mobile App	Canon Mini Print App		Canon Mini Print App					
4									

Canon 2x3" ZINK™ Photo Paper: ZP-2030 (20 sheets)/Peel-and stick back

Temperature: 0 - 25°C, Humidity: 40 - 55% RH